

SURFBOARD BLANK CATALOG MARCH 2024

CONTENTS



INFORMATION	page 3
Welcome	4
Solarmade 2.0 Blanks	5
Introducing CT Foam	6
How To Use This Catalog	7
BLANK OPTIONS	
Foam & Density Selection	8
Stringer Selection	9-10
Rocker Selection	11
Blanks by Category	12
BLANK SPEC PAGES	
Polyurethane Blanks	13-86
SUPERFUSED EPS Blanks	87-100
Block-Cut EPS	101-111
Shipping Boxes	112
Resellers	113-114
PU Quick Reference Guide	115-117
Sales Policy	118-120

ACCOUNT SET-UP

US Blanks are manufactured in Southern California using 100% solar power. We also operate a warehouse in Florida to service the East Coast. Blanks are available direct (for wholesale manufacturing accounts only) or through a network of Resellers (see page 115) for wholesale & retail sales. To set up a wholesale account contact us at the phone numbers listed below.

DELIVERY METHOD

US Blanks delivers direct in California from our Los Angeles based factory. Our blanks are available to all other locations via box shipments, pallet shipments, or container loads.

Delivery Type	Method	Location	Blank Quantity
Direct	US Blanks Trucks	San Diego to San Francisco	5 - 400
Box	Common Carrier	Worldwide	4 - 5 per box
Pallet	Freight Truck	Continental US	Approx. 50
Container	Freight Truck & Ship	Worldwide	400 - 800

US Blanks Truck Schedule

Weekly
Monday - San Diego
Tuesday - Oceanside & San Clemente
Wednesday - Orange County
Thursday - LA & Ventura

Every 3 Weeks (Subject to Change)
Tuesday - San Luis Obispo
Wednesday - Santa Cruz & San Francisco

TERMS

Initial orders are either prepayment or C.O.D. All container orders require 50% deposit and final 50% is due prior to shipping. Credit terms are considered only after a client relationship has been established. Finance charge of 24% APR is applied to past due balances. Please refer to our Sales Policy on page 117 for more information.

MISSION

Our mission at US Blanks is to establish close partnerships with customers to produce the best surfboard possible. We are committed to design, technology and to maintaining the highest level of quality while offering a wide range of products, including an extensive variety of blank sizes, weights, stringer, rockers, and glue colors.

The US Blanks team is comprised of industry veterans with unparalleled experience in surfboard blank production.

GUARANTEE

US Blanks guarantees the quality of our blanks. If you receive a blank that does not meet our quality standards, we will replace the blank. In addition, if that blank has been shaped, we will credit the customer with a shaping fee (per our schedule) OR an additional blank (to be determined by US Blanks). In order to be eligible for either credit, the inferior blank must be returned to US Blanks. We will not cover the costs of any work on the blank completed after the first notice of a problem. Please refer to our Sales Policy on page 118 for more information.

SUSTAINABILITY & SOLARMADE BLANKS

Every blank we manufacture comes from our Southern California facility, which runs on 100% solar power. Operating in California requires that we exercise the highest standards in environmental protection, waste disposal, and safety precautions for our entire team. Our location and industry-leading practices allow us to maintain longevity among staff and clients and provide unmatched customer service.

US Blanks also maintains a highly-prioritized recycling initiative. Our EPS foam scraps and off-cuts are processed off-site, then recycled for use in a variety of applications from packaging to construction. Our wood scraps, off-cuts and sawdust are reclaimed off-site for use outside of the surf industry. Our paper, plastic, metal, packaging, and office waste is recycled using best practices at local recycling facilities.

MARKETING RESOURCES

Marketing Resources are available for clients. Utilize these to help inform your customers about blank options. Our goal is to educate surfers about the importance of quality foam and our wide-ranging customization options. Send requests to info@usblanks.com. For visual examples visit usblanks.com/marketing-resources/

Product Catalog One Sheets Product Overview
Tri-Fold Brochures Stickers Poster
Hats Stringer Samples T-Shirts

Laminate Customer Gift Bags Colored Foam Samples US Blanks Surf Wax

SOLARMADE IN THE USA

Every PU US Blanks surfboard blank is manufactured with solar energy in the USA. The core of surfing, solar made, in the USA.

In 2016 we installed 680 solar panels on the roof of our factory in Los Angeles and transitioned our entire manufacturing facility to run on the energy produced from these panels. This transition makes US Blanks the first and only blank manufacturer in the world to be 100% solar powered.

We believe that responsible business practices foster long-term client and employee relationships and help grow our economy. This has been a core tenet of our brand since day one. Transitioning our factory to 100% solar power is the latest action of this core belief. We have SOLARMADE stickers and laminates for you. Send your request to info@ usblanks.com.



US BLANKS 2.0

In 2019 we introduced a new and improved version of our polyurethane foam. It was the result of two years of research, development, and feedback from clients. Through updated manufacturing methods and an adjusted formula we've been able to yield a comprehensively better foam, both for hand shaping and machine cutting. 2.0 foam is firmer, has tighter cell structure, smoother texture and unrivaled consistency from skin to core, nose to tail, and from one blank to the next. 2.0 foam blanks are identified by the stencil sprayed on the bottom of the blank.

USBlanks 2.0 Solarmade in USA

CT FOAM

A stronger, lightweight foam, designed for high-impact surfing.



Shapers tasked us with making a lightweight foam that could withstand the unique demands of Championship Tour surfers; fast, responsive, and resilient. Hard foam can be brittle. Light foam can be fragile. Strong foam can be heavy.

The challenge was to create a foam that was hard enough to feel lively underfoot, light enough to be fast, and strong enough to perform through an entire season.

We R&D'd it during the 2023 season and it's now available for all! CT Foam is our hardest, strongest, lightweight foam for a more responsive surfboard. Now available (up to 7'3"A)!

Is it a new density option? Not exactly. **YELLOW** CT Foam is approximately the same density as our Red density but it's harder and stronger. **ORANGE RED GREEN BROWN BLACK** BLUE Competition Cruiser Performance Stock Classic Tow-In The basis for 12% - 13% 6% - 7% 9% - 10% 30% - 32% 205% lighter comparison heavier heavier heavier lighter


CT Foam is our hardest, strongest, lightweight foam for a more response surfboard. Available up to 7'3"A.

BLANK MEASUREMENTS

All blank illustrations in this catalog are drawn to actual scale; 1:12 scale for blanks shorter than 8'0" and 1:16 for blanks 8'0" and longer. Shape3D sightings from Nose-to-Tail are also included.

Actual measurements vary slightly due to the use of mold release, unpredictable shrinkage during molding, rail fill and rough rails. The nose and tail rockers are measured from the bottom of the blank to the bottom of the nose and the tail.

Volume measurements are calculated using the Shape3D scan method. Shape3D and AKU files for each blank are available upon request. Contact info@usblanks.com




US Blanks offers 6 densities of Polyurethane foam and 2 types of EPS foam, each available in 2 densities.

POLYURETHANE (PU)

US Blanks manufactures a water blown, Toluene Diisocyanate based polyester polyurethane blank. We feel this combination provides the best physical properties required by a surfboard, resulting in the strongest blank possible, and yields the best performance qualities. Our formulation provides the optimum strength, ease of shaping, and ideal flex.

Our PU blanks are available in 6 densities for most sizes. Actual PCF (pounds per cubic foot) of a given weight foam will vary due to mold compaction and skin-to-core ratio. The comparisons listed are based on the difference in pounds of foam used to pour each density and is an average among blank sizes.


The DENSITY is identified by the color on the nose of each blank.



EXPANDED POLYSTYRENE (EPS)


US Blanks offers 2 types of surf-formulated EPS foam with DENSITY indicated with text on the nose:

BLOCK-CUT EPS



BLOCK-CUT EPS blanks are available in 2 stock densities; 1.5 pcf & 2.0 pcf, with 1.0 pcf available via custom order. These blocks are available up to 24' long x 4' wide x 3' thick. Custom cut files may be submitted in either Shaped 3D or AKU formats. All PU sizes are available as Block-Cut EPS.

SUPERFUSED EPS



SUPERFUSED EPS are molded and available in 6 sizes, in multiple thicknesses, and 2 densities; 1.5 pcf & 2.0 pcf. The molding process provides tighter fusion and cell structure than traditional EPS blanks.

Additional information is listed on page 84 of this catalog.

USBlanks.com/blank-options/density-selection/

Stringer selection is an important part of a surfboard's strength, flex pattern and aesthetic. Our in-house mill allows us to offer nearly any conceivable cut or configuration, including multi-stringers, T-bands, off-set stringers, flares, wedge cuts, and parabolics (see page 101).

We offer 5 solid woods, various plywoods, and 2 alternative materials. For photographic examples of stringer materials and configurations, visit USBlanks.com and contact info@usblanks.com for a sample pack of stringers.

Solid Wood

BALSA: Consistent color and grain. Available in any length and thickness. Not always available. Sometimes scabbed to achieve customer's desired lengths.

BASSWOOD: Consistent color and grain. Available in any length and thickness. Readily available.

CEDAR: Slight variation in color and grain. Available in any length and thickness. Not always available.

DARK WOOD: Introduced to fill the void when cedar is unavailable. Variation in color, from a cedar-tone to dark. Available in any length and thickness. Readily available.

REDWOOD: Slight variation in color and grain. Available in any length and thickness. Available for a limited time.

Plywood

All our plywoods are unidirectional and have very consistent color and grain.

POPLAR 3-PLY: 4mm (Light / Light / Light)

POPLAR 5-PLY: 6mm (Light / Light / Light / Light / Light)

HIGH-PERFORMANCE 3-PLY: 4mm (Light / Dark / Light)

TEAM 3-PLY: 4mm (Dark / Light / Dark)

APPLECORE 3-PLY: 1/8", color-dyed basswood. Available in a variety of color combinations.

APPLECORE 5-PLY: 5/32" (Light / Dark / Light / Dark / Light)

APPELCORE 5-PLY: 1/4" (Light / Dark / Black / Dark / Light)

APPLECORE 7-PLY: 3/8" (Dark / Light / Dark / Black / Dark / Light / Dark)

USBlanks.com/blank-options/stringer-selection/

Alternative Materials

PVC: Red & Black at 3mm (up to 8'). White at 4mm (up to 8'). Black at 6mm (up to 10').

COLORED FOAM INSERTS: High density, colored, polyurethane foam is available as a stringer insert. It's available in any width including wedges, T-bands, and up to 11' in length. Stock colors are Blue, Red, Yellow, Orange, Green (Regular or Fresh), Black, Pink, Grey. We formulate our colors to be bright and bold. Occasionally we may have additional colors available.


ROCKER SELECTION

Rocker selection will allow to you find the precise balance of speed and turning radius for your surfboard. US Blanks are designed with a *Natural Rocker* that fits the widest variety of designs, but we also offer custom Rocker adjustments.

We use the deck line to index all blanks when gluing, and all adjustments are referenced to the *Natural Rocker*. Adjustments can be made from almost any point on a blank, whether deck or bottom, and from one blank size to another. Unless instructed, all rocker adjustments will be made from the center of the blank. If the adjustment is made from a point other than center, the adjustment point will be part of the description. Rockers transferred from one blank size to another will require a match point. Radical rocker adjustments may result in bumps or dips created in the deck line.

The Rocker Formula:

Natural Rocker = Inches Rise in the Nose, Inches Rise in the Tail (from the Bottom Plane)



The Nose measurement is always written first. It begins with the number of inches the tip rises from the bottom plane of the blank and is followed by the letter "N". A comma separates the Nose rocker from the Tail rocker. Likewise, the Tail rocker is written in number of inches the tip rises from the bottom plane of the blank and is followed by the letter "T".

USBlanks.com/blank-options/rocker-selection/

Rocker Adjustments

All Custom Rockers are written as adjustments from the Natural Rocker. Adjustments are made from the center unless otherwise specified.



This indicates that the tip of the Nose is adjusted +1/2" and the Tail is adjusted +1/8" from the Natural Rocker and the adjustments were made from the center.

Rocker Adjustments From Location Other Than Center


Adjustments made from a location other than centered are indicated by the number, in inches, that follows the "N" or "T" in the rocker formula.



This indicates that the tip of the Nose is adjusted +1/2" from the Natural Rocker, but only within the last 18" of the Nose. And the tail is adjusted +1/8" from the Natural Rocker but only in the last 12" of the Tail.

Rocker Adjusted from Multiple Locations

Rockers can also be adjusted from multiple locations within the Nose or Tail to add subtle rocker to a given area and then increased rocker to another area, (i.e., a "Flipped Tip" effect). is is indicated by simply adding values to the existing rocker formula.



This indicates that the tip of the Nose is adjusted +1/2" from the Natural Rocker in the last 18" of the Nose and then an additional 1/2" in the last 12" of the Nose. And the tail is adjusted +1/8" from the Natural Rocker but only in the last 12" of the Tail.

USBlanks.com/blank-options/rocker-selection/

6′2″P 5′9″P 5′11″YU 6'0"P 6′0″R 6′3″EA 6'4"EA 6'4"EAX 6'4"MB page 14 page 15 page 17 page 18 page 20 page 21 page 23 page 24 page 25 6'8"A 6'8"AX 6'8"P 6′9″FA 6'9"R 6′5″R 6'6"EA 6'7"P 7′0″A 7′1″A page 27 page 28 page 29 page 30 page 31 page 32 page 34 page 35 page 38 page 39 5′10″RP 6'2"A 6'3"RP 6′5″A 6'8"RP 6'10"A 6'10"RH 7'3"A 7'4"SP page 15 page 19 page 22 page 26 page 33 page 36 page 37 page 42 page 43 8'4"SPX 7′9″H 7'9" HX 7′10″SP 8′0″H 8'4"SP page 59 page 51 page 49 page 50 page 53 page 58 8'2"A 7′1″EA 7′5″A 7′6″EA 7′7″A 7′8″A 8'1"EA 8'2"AX 8′3″H page 40 page 44 page 45 page 46 page 47 page 54 page 55 page 56 page 57 9'3"A 9'3"AX 8'6"EA page 61 page 65 page 66 8′9″Y 8'9"YX 9'3"Y 9'4"B 9′5″M 9'8"Y 9'9"B 10′1″C 10'2"B page 62 page 63 page 67 page 68 page 69 page 70 page 73 page 75 page 76 11′2″C 11′8″C 10'2"BX 10'8"C 10'8"Y page 77 page 81 page 82 page 84 page 86 7′11″A 8′5″A 9'2"A 10'0"BG 7′2″FA 7′8″FA 9'9"A 9'9"AX 10'6"A page 41 page 48 page 52 page 60 page 64 page 71 page 72 page 74 page 78 10'8"BG 11'8"BG 10'6"AX page 79 page 80 page 85 10'4"SUP-A 8'6"SUP 9'6"SUP 10'0"SUP 10'4"SUP-B 10′10″T page 106 page 103 page 104 page 105 page 107 page 83 11'2"SUP-A 11'2"SUP-B 12'1"SUP 12'6"SUP page 108 page 109 page 110 page 111 6'5" 6'5"X 6'8" 6'8"X 7'2" 7′2″X 7'8" 7′8″X 8'8" page 91 page 93 page 95 page 88 page 89 page 90 page 92 page 94 page 96

USBlanks.com/catalogs/

8'8"X page 97 9'8"

page 98

9'8"X

page 99


9'8"XX

page 100

WAKE SURF




Designed in March 2024



5'9"P

Designed in April 2006 by

TIMMY PATTERSON



OVERALL BOTTOM LENGTH

5'10 ^{1/4"} (178.44 cm)

TIP-TO-TIP DECK LENGTH

5'9 5/8" (176.85 cm)

MAX WIDTH

19 3/8" (49.21 cm)

MAX THICKNESS

2 ^{7/16}" (6.19 cm)

DISPLACEMENT

1.14 ft³ (32.2 L)

NATURAL ROCKER

4 3/4"N 2"T



"This is an ideal Grom blank with medium volume. It has an excellent natural rocker which will also work well in the 6'0"P and 6'2"P matched from the nose. A perfect hand shape blank that can also be used on the machine."

TIMMY PATTERSON



FISH/EGGS

5'10"RP

Designed in October 2008 by

RICH PAVEL

OVERALL BOTTOM LENGTH

5'11 ^{1/4"} (180.98 cm)

TIP-TO-TIP DECK LENGTH

5'10 3/4" (179.71 cm)

MAX WIDTH

24 ^{7/8"} (63.18 cm)

MAX THICKNESS

2 ^{15/16}" (7.46 cm)

DISPLACEMENT

1.91 ft³ (54.1 L)


NATURAL ROCKER

4 5/8"N 1 15/16"T



"This is a versatile blank with enough volume to accommodate multiple styles of surfboard, but it was inspired by input from the famed 'Fish Fry' events attended worldwide. It was designed for the modern hand shaper but modified for machine shapes. It easily nets 5'10" deck measurement with high-performance rockers and thicker profiles."

RICH PAVEL





5'11"YU

Designed in August 2021 by

YOSHINORI UEDA

OVERALL BOTTOM LENGTH

6'0" (182.88 cm)

TIP-TO-TIP DECK LENGTH

5'11 3/8" (181.29 cm)

MAX WIDTH

21 1/4" (53.96 cm)

MAX THICKNESS

2 3/4" (6.99 cm)

DISPLACEMENT

1.48 ft³ (42.01 L)


NATURAL ROCKER

4 9/16"N 1-13/16"T



"This blank was designed to accommodate modern shortboard designs. By adding appropriate volume to the width and thickness, it reduces the need to cut down longer blanks, or to adjust the rocker of thinner blanks. This volume also suits designs with deep concaves by adding extra rocker to the tail when necessary."

YOSHINORI UEDA






6'0"P

Designed in April 2007 by

TIMMY PATTERSON



TIP-TO-TIP DECK LENGTH 6'0 1/4" (182.88 cm)

MAX WIDTH

20" (50.80 cm)


MAX THICKNESS

2 1/2" (6.35 cm)

DISPLACEMENT


1.23 ft³ (34.9 L)

NATURAL ROCKER 4 5/8"N 1-11/16"T



"This is a close-to-medium tolerance blank excellent for junior sizes. Adjusted thickness flow in the nose and tail makes it a perfect quick shape blank. The design was based on the 6'2"P"

TIMMY PATTERSON




USBlanks.com

6'0"R

Designed in March 2011 by

RUSTY PRESENDORFER



FISH/EGG

USBlanks.com

6'2"A

Designed in July 2006 by PAT RAWSON

OVERALL BOTTOM LENGTH

6'2 3/4" (189.87 cm)

TIP-TO-TIP DECK LENGTH

6'2" (187.96 cm)

MAX WIDTH

23 1/2" (59.69 cm)

MAX THICKNESS

2 15/16" (7.46 cm)

DISPLACEMENT

1.95 ft³ (55.1 L)

NATURAL ROCKER

4 3/4"N 1 13/16"T





"I designed this one to be able to easily net 6'1" by the bottom measurement for a shorter length contemporary, retro Fish or single fin design."


PAT RAWSON



USBlanks.com/catalog/fish-egg/6-2A/

Designed in July 2006 by

TIMMY PATTERSON



OVERALL BOTTOM LENGTH

6'2 1/2" (189.23 cm)

TIP-TO-TIP DECK LENGTH

6'1 7/8" (187.64 cm)

MAX WIDTH

20 1/2" (52.07 cm)

MAX THICKNESS

2 1/2" (6.35 cm)

DISPLACEMENT

1.31 ft³ (37.2 L)

NATURAL ROCKER

4 7/16"N 2 1/4"T



"This blank is designed for team boards and production shaping. It is a shorter version of the 6'7"P which has a little more thickness in the nose and tail than the original. A medium tolerance blank."

TIMMY PATTERSON



THICKNESS

1.91 cm

1 1/4"

3.18 cm

1 11/16"

4.29 cm

2"

5.08 cm

2 5/16"

5.87 cm

2 9/16"

6.51 cm

2 5/16"

5.87 cm

2 3/16"

5.56 cm

1 7/8"

4.76 cm

1 5/8"

4.13 cm

1 1/4"

3.18 cm

ROCKER

5 ^{1/2}" 13.97 cm

3 5/16"

10.00 cm

1 13/16"

4.60 cm

15/16"

2.38 cm

7/16"

1.11 cm

5/16"

0.79 cm

9/16"

1.43 cm

15/16"

2.38 cm

1 7/16"

3.65 cm

2 1/16"

5.24 cm

6'3"EA

Designed in July 2006 by ERIC ARAKAWA

OVERALL BOTTOM LENGTH

6'4 1/8" (193.36 cm)

TIP-TO-TIP DECK LENGTH

6'3 1/4" (191.14 cm)

MAX WIDTH

20 5/8" (52.39 cm)

MAX THICKNESS


2 9/16" (6.51 cm)

DISPLACEMENT

1.38 ft³ (39.2 L)

NATURAL ROCKER

5 1/2"N 2 1/16"T



WIDTH



"Designed to be a versatile blank for boards 6'2" and under. I added a little nose width to accommodate most modern full nose shortboards. This is essentially a thinner version of the 6'4" EA."

ERIC ARAKAWA



20.32 cm

FISH/EGG

THICKNESS

- 1 3/16"

3.02 cm

1 9/16"

3.97 cm

ROCKER

4 1/4"

10.80 cm

2 9/16"

6.51 cm

1 3/8"

3.49 cm

11/16"

1.75 cm

0.64 cm

1/4"

0.64 cm

1/2"

1.27 cm

7/8"

2.22 cm

1 5/16"

3.33 cm

1 13/16"

4.60 cm

6'3"RP

Designed in April 2020 by RICH PAVEL

OVERALL BOTTOM LENGTH

WIDTH

5 1/2"

13.97 cm

13 1/4"

33.66 cm

6'4 1/8" (193.36 cm)

TIP-TO-TIP DECK LENGTH

6'3 1/2" (191.77 cm)

MAX WIDTH

22 5/8" (57.47 cm)

MAX THICKNESS

2 3/4" (6.99 cm)

DISPLACEMENT

1.819 ft³ (57.47 L)


NATURAL ROCKER

4 1/4"N 1 13/16"T



"A high tolerance, low volume design; optimizing US Blanks 2.0 formulation. The RP series is well informed drawing upon surfing's finest designs minds. This 6'3RP design plays an important role in the current generation of shapers emerging while bringing surfing's next era. A slice of heaven for hand-shapers everywhere; this one's for you. Enjoy!"

RICH PAVEL





THICKNESS

15/16"

2.38 cm

1 5/16"

3.33 cm

1 3/4"

4.45 cm

2 1/8"

5.40 cm

2 7/16"

6.19 cm

2 3/4"

6.99 cm

2 1/2"

6.35 cm

2 5/16"

5.87 cm

2"

5.08 cm

1 11/16"

4.29 cm

1 5/16"

3.33 cm

ROCKER

5 1/2"

13.97 cm

3 5/16"

8.41 cm

1 13/16"

4.60 cm

15/16"

2.38 cm

7/16"

1.11 cm

5/16"

0.79 cm

9/16"

1.43 cm

15/16"

2.38 cm

1 7/16"

3.65 cm

2 1/16"

5.24 cm

Designed in July 2006 by **ERIC ARAKAWA**

OVERALL BOTTOM LENGTH

6'4 1/4" (193.66 cm)

TIP-TO-TIP DECK LENGTH

6'3 1/2" (191.77 cm)

MAX WIDTH

20 5/8" (52.39 cm)

MAX THICKNESS

2 3/4" (6.99 cm)

DISPLACEMENT

1.49 ft³ (42.3 L)

NATURAL ROCKER


5 1/2"N 2 1/16"T





"Designed to be a versatile blank for boards 6'2" and under. I added a little nose width to accommodate most modern full nose shortboards. It also accommodates machine shapes."

ERIC ARAKAWA





31.59 cm

8"

20.32 cm

h'A''FAX

Designed in July 2006 by **ERIC ARAKAWA**

OVERALL BOTTOM LENGTH

TIP-TO-TIP DECK LENGTH

6'3 1/2" (191.77 cm)

MAX WIDTH

20 5/8" (52.39 cm)

MAX THICKNESS

3" (7.62 cm)

DISPLACEMENT

1.646 ft³ (46.61 L)

NATURAL ROCKER

6'4 1/4" (193.66 cm)

5 1/2"N 2 1/16"T



"This is the 1/4" thicker version of the 6'4"EA. Designed to be a versatile blank for boards 6'2" and under. I added a little nose width to accommodate most modern full nose shortboards. It also accommodates machine shapes." **ERIC ARAKAWA**





THICKNESS

ROCKER

6'4"MB

Designed in January 2016 by MATT BIOLOS

OVERALL BOTTOM LENGTH

6'4 7/8" (195.26 cm)

TIP-TO-TIP DECK LENGTH

6'4 1/8" (193.36 cm)

MAX WIDTH

21 7/16" (54.45 cm)

MAX THICKNESS


3 3/16" (8.10 cm)

DISPLACEMENT

1.836 ft³ (52.0 L)

NATURAL ROCKER

4 7/8"N 2"T





"This blank fills the volume gap between the 6'4"EA & 6'5"R. Ideal for grovelers and thicker Shortboards, the blank features more subtle nose and tail rocker and enough thickness to fit a wide variety of modern Shortboard needs."

MATT BIOLOS



WIDTH

FISH/EGG

ROCKER

5 1/16"

12.86 cm

3 3/16"

8.10 cm

1 7/8"

4.76 cm

1 1/16"

2.70 cm

9/16"

1.43 cm

5/16"

0.79 cm

9/16"

1.43 cm

7/8"

2.22 cm

1 5/16"

3.33 cm

1 3/4"

4.45 cm

THICKNESS

1 1/4"

3.16 cm

1 11/16"

4.29 cm

2 3/16"

5.56 cm

2 5/8"

6.67 cm

2 7/8"

7.30 cm

3 1/8"

7.94 cm

2 11/16"

6.83 cm

2 1/2"

6.35 cm

2 1/8"

5.40 cm

1 3/4"

4.45 cm

1 1/2"

3.81 cm

bh'A

Designed in July 2006 by PAT RAWSON

OVERALL BOTTOM LENGTH

6'5 1/2" (196.85 cm)

TIP-TO-TIP DECK LENGTH

23 1/2" (59.69 cm)

3 1/8" (7.94 cm)

7 1/2" 19.05 cm 6'4 7/8" (195.26 cm) $14^{3/4}$ " 37.47 cm **MAX WIDTH** 18 7/8" 12" 47.94 cm **MAX THICKNESS** $21^{-1/8}$ " 53.66 cm **DISPLACEMENT** 2.15 ft³ (60.9 L) 22 ^{1/2"} 57.15 cm **NATURAL ROCKER** 5 1/16"N 1 3/4"T 23 1/2" CENTER 59.69 cm "This is the longer version of my 6'2" 24" 55.25 cm $\begin{array}{c} 20^{\ 1/4''} \\ 51.44 \ cm \end{array}$ 18" fin design." PAT RAWSON $18^{-3/8''}$ 12" 46.67 cm 16"

WIDTH

A. It easily nets 6'4" by the bottom measurement for a shorter mid length contemporary, a retro Fish, or a single-

40.64 cm

12 1/2" 31.75 cm


USBlanks.com

USBlanks.com/catalog/fish-eggs/6-5A/

6'5"R

Designed in April 2011 by

RUSTY PREISENDORFER



USBlanks.com

3.49 cm

5.72 cm

USBlanks.com/catalog/shortboard/6-5R/

23.50 cm



THICKNESS

1"

2.54 cm

1 3/8"

3.49 cm

1 7/8"

4.76 cm

2 1/4"

5.72 cm

2 9/16"

6.51 cm

2 15/16"

7.46 cm

2 5/8"

6.67 cm

 $2^{3/8''}$

6.03 cm

2 1/16"

5.23 cm

1 5/8"

4.13 cm

1 5/16"

3.33 cm

ROCKER

5 5/16"

13.49 cm

3 5/16"

8.41 cm

1 7/8"

4.76 cm

1 1/16"

2.70 cm

1/2"

1.27 cm

5/16"

0.79 cm

5/8"

1.59 cm

1 1/16"

2.70 cm

1 9/16"

3.97 cm

2 3/16"

5.56 cm

Designed in July 2006 by **ERIC ARAKAWA**

OVERALL BOTTOM LENGTH

6'6 1/8" (198.44 cm)

TIP-TO-TIP DECK LENGTH

6'5 3/8" (196.22 cm)

MAX WIDTH

21 1/4" (53.98 cm)

MAX THICKNESS

2 15/16" (7.46 cm)

DISPLACEMENT

1.65 ft³ (46.7 L)

NATURAL ROCKER

5 5/16"N 2 3/16"T

4 1/4" 10.80 cm 10 9/16" 26.83 cm $14^{5/8}$ ″ 12" 37.15 cm 17 5/8" 37.15 cm 19 9/16" 49.69 cm 21 1/4" CENTER 53.98 cm $19^{3/4''}$ 24" 50.17 cm $18^{-1/8''}$ 18" 46.04 cm $15^{-3/4''}$ 12" 40.01 cm

WIDTH



"This blank is intended for highperformance shortboard designs between 6'2" and 6'5" in length. It was designed in concert with the 6'4" EA and 6'9"EA."

ERIC ARAKAWA



 $12^{-1/2''}$

31.75 cm

7 1/2"

19.05 cm

THICKNESS

1.91 cm

1 1/8"

2.86 cm

1 9/16"

3.97 cm

2" 5.08 cm

2 5/16"

5.87 cm

2 3/4"

6.99 cm

2 7/16"

6.19 cm

2 3/16"

5.56 cm

1 13/16"

4.60 cm

1 3/8"

3.49 cm

1"

2.54 cm

ROCKER

5 1/4" 13.34 cm

3 1/4"

8.26 cm

1 15/16"

4.92 cm

1 1/8"

2.86 cm

9/16"

1.43 cm

3/8"

0.95 cm

3/4"

1.91 cm

1 3/16"

3.02 cm

1 3/4"

4.45 cm

 $2^{3/8''}$

6.03 cm

Designed in July 2006 by

TIMMY PATTERSON



6'7 1/8" (200.66 cm)

TIP-TO-TIP DECK LENGTH

6'6 1/2" (198.76 cm)

MAX WIDTH

21 1/2" (54.61 cm)

MAX THICKNESS

2 3/4" (6.99 cm)

DISPLACEMENT

1.54 ft³ (43.6 L)

NATURAL ROCKER

5 1/4"N 2 3/8"T

4 3/8" 11.11 cm $10^{-1/4}$ 26.04 cm $14^{-1/2}$ " 12" 36.83 cm $17^{3/8}$ ″ 44.13 cm Solarmade in USA 19 7/16" 49.37 cm

CENTER

24"

18"

12"

WIDTH

"This blank was designed for team 19 15/16" boards and production shaping. It has a little more thickness in the nose and tail than the original 6'6"P. It's a medium tolerance blank." **TIMMY PATTERSON**

21 1/2"

54.61 cm

12 1/2"

 $6^{3/4''}$

 $18^{-3/8''}$ 46.67 cm 15 7/8" 40.32 cm

31.75 cm

17.15 cm

USBlanks.com

USBlanks.com/catalog/shortboard/6-7P/

THICKNESS

1"

2.54 cm

1 11/16"

4.29 cm

ROCKER

5 5/16" 13.49 cm

3"

7.62 cm

Designed in July 2006 by PAT RAWSON



6'7 3/4" (202.57 cm)

TIP-TO-TIP DECK LENGTH

6'7" (200.66 cm)

MAX WIDTH

21 7/8" (55.56 cm)

MAX THICKNESS

2 15/16" (7.46 cm)

DISPLACEMENT

1.95 ft³ (55.3 L)

NATURAL ROCKER

5 5/16"N 1 3/4"T

WIDTH 3 3/4" 9.53 cm 10 7/8" 27.62 cm 12" 15 9/16" 39.53 cm $18^{3/8''}$ 46.67 cm Solarmade in USA 20 1/8" 51.12 cm 21 7/8" CENTER 55.56 cm

"I have listened to many shaper's 20 ^{1/16"} feedback over the years on this blank. The slightly wider outline allows for board designs ranging from Shortboards to Fun shapes. The Natural Rocker is good for vee tail and contour nose shapes. The Hawaii

Rocker can be used for highperformance designs."

PAT RAWSON

18 9/16" 47.15 cm $16^{3/4''}$ 42.55 cm 13 7/8" 35.24 cm 24.13 cm

9 1/2"

2 3/16" 1 5/8" 4.13 cm 5.56 cm 7/8" 2 1/2" 2.22 cm 6.35 cm 7/16" $2^{3/4''}$ 6.99 cm 1.11 cm 2 15/16" 7.46 cm 5/16" 2 11/16" 24" 0.79 cm 6.83 cm 9/16" 2 1/2" 18" 1.43 cm 6.35 cm 7/8" $2^{1/4''}$ 12" 2.22 cm 5.72 cm 1 1/4" 1 7/8" 3.18 cm 4.76 cm 1 3/4" 1 1/2" 4.45 cm 3.81 cm

USBlanks.com

USBlanks.com/catalog/shortboard/6-8A/



30

THICKNESS

1 3/8"

3.49 cm

2 1/16"

5.24 cm

2 9/16"

6.51 cm

2 7/8"

7.30 cm

3 1/8"

7.94 cm

3 5/16"

8.41 cm

3 1/16"

7.78 cm

2 7/8"

7.30 cm

2 5/8"

6.67 cm

2 1/4"

5.72 cm

1 7/8"

4.76 cm

ROCKER

5 ^{5/16}″ 13.49 cm

3"

7.62 cm

1 5/8"

4.13 cm

7/8"

2.22 cm

7/16"

1.11 cm

5/16"

0.79 cm

9/16"

1.43 cm

7/8"

2.22 cm

1 1/4"

3.18 cm

1 3/4"

4.45 cm

6'8"AX

Designed in July 2006 by PAT RAWSON

OVERALL BOTTOM LENGTH

6'7 3/4" (202.57 cm)

TIP-TO-TIP DECK LENGTH

6′7″ (200.66 cm)

MAX WIDTH

21 7/8" (55.56 cm)

MAX THICKNESS

3 5/16" (8.41 cm)

6'8"A with 3/8" added thickness overall

DISPLACEMENT

2.24 ft³ (63.5 L)

NATURAL ROCKER


5 5/16"N 1 3/4"T



"This is the 3'8" thicker version than the 6'8"A. I have listened to many shaper's feedback over the years on this blank. The slightly wider outline allows for board designs ranging from Shortboards to Fun shapes. The Natural Rocker is good for vee tail and contour nose shapes. The Hawaii Rocker can be used for high-

performance designs."

PAT RAWSON




WIDTH



6'8"P

Designed in 2006 by

TIMMY PATTERSON



USBlanks.com

1"

2.54 cm

2 3/16"

5.56 cm

USBlanks.com/catalog/shortboard/68P/

6 1/2"

16.51 cm



FISH/EGG

6'8"RP

Designed in November 2008 by

RICH PAVEL

OVERALL BOTTOM LENGTH

6'9 1/2" (207.01 cm)

TIP-TO-TIP DECK LENGTH

6'8 3/4" (205.11 cm)

MAX WIDTH

25 1/8" (63.82 cm)

MAX THICKNESS

3" (7.62 cm)

DISPLACEMENT

2.25 ft³ (63.8 L)


NATURAL ROCKER

5"N 2 1/8"T



"Very versatile and designed with input from some of surfing's best design minds. The 6'8"RP is influenced by a universal rocker and timeless profiles. This blank accommodates the trend to ride shorter, fuller volume boards. It also provides enough volume for new levels of self-expression for shapers. Excellent contemporary Lis Fish. Big brother to the 5'10"RP."





USBlanks.com/catalog/fish-eggs/68RP/

THICKNESS

2.38 cm

1 3/8"

3.49 cm

1 7/8"

4.76 cm

2 3/16"

5.56 cm

2 1/2"

6.35 cm

2 15/16"

7.46 cm

2 5/8"

6.67 cm

 $2^{3/8''}$

6.03 cm

ROCKER

5 9/16"

14.13 cm

3 7/16"

8.73 cm

2"

5.08 cm

1 1/8"

2.86 cm

9/16"

1.43 cm

7/16"

1.11 cm

3/4"

1.91 cm

Designed in July 2006 by **ERIC ARAKAWA**

OVERALL BOTTOM LENGTH

6'9" (205.74 cm)

TIP-TO-TIP DECK LENGTH

6'8" (203.20 cm)

MAX WIDTH

21 5/16" (54.13 cm)


MAX THICKNESS

2 15/16" (7.46 cm)


DISPLACEMENT

1.71 ft³ (48.3 L)


NATURAL ROCKER



WIDTH



USBlanks.com




17.78 cm



6'9"R

Designed in July 2006 by

RUSTY PREISENDORFER



FISH/EGG

h'lli''A

Designed in July 2006 and Updated in July 2020 by

PAT RAWSON



6'11 3/8" (211.77 cm)

TIP-TO-TIP DECK LENGTH

6'10 5/8" (209.87 cm)

MAX WIDTH

24" (60.96 cm)

MAX THICKNESS

3 5/8" (9.21 cm)

DISPLACEMENT

2.75 ft³ (77.74 L)


NATURAL ROCKER

4 3/4"N 1 7/8"T



Updated July 2020 with adjusted length as well as increased nose and tail thicknesses.

"This is my big guy Fish blank, designed to be able to easily net a 6'9" bottom measurement. Ideal for 6'5" to 6'9" length contemporary, retro Fish or single fin design." PAT RAWSON





FISH/EGGS

1 9/16"

3.96 cm

1 15/16"

4.92 cm

2 7/16"

6.19 cm

2 13/16"

7.94 cm

3 1/8"

7.94 cm

3 3/8"

8.57 cm

3 3/8"

8.57 cm

3 3/8"

8.57 cm

3 1/16"

7.78 cm

2 13/16"

7.14 cm

2 1/2"

6.35 cm

2 1/16"

5.24 cm

1 9/16"

3.97 cm

ROCKER

4 1/8"

10.47 cm

2 1/2"

6.35 cm

1 1/2"

3.81 cm

13/16"

2.06 cm

7/16"

1.11 cm

1/16"

0.16 cm

1/16"

0.16 cm

3/8"

0.95 cm

11/16"

1.76 cm

1 1/16"

2.70 cm

1 5/8" 4.13 cm

2 5/16"

5.87 cm

Designed in April 2022 by

ROGER HINDS

OVERALL BOTTOM LENGTH

6'11 1/8" (211.38 cm)

TIP-TO-TIP DECK LENGTH 6'10 1/2" (209.55 cm)

MAX WIDTH

23 1/2" (59.69 cm)

MAX THICKNESS

3 3/8" (8.57 cm)

DISPLACEMENT

2.46 ft³ (69.69 L)


NATURAL ROCKER

4 1/8"N 2 5/16"T



"Designed for retro fun shapes, mid range, or fish style boards. The blank is evenly foiled making it an easy hand shape blank, but will also fit on the machine. It has a slightly taller rail than the H-Series blanks and will accommodate many rockers as well. Built with input from Matt Calvani."

ROGER HINDS



USBlanks.com/catalog/fish-eggs/610-RH/

8 1/4"

20.96 cm



USBlanks.com

SHORTBOARD

THICKNESS

1"

2.54 cm

1 9/16"

3.97 cm

2 1/16"

5.24 cm

2 1/2"

6.35 cm

2 13/16"

7.14 cm

3 1/8"

7.94 cm

3 3/16"

8.10 cm

3 1/8"

7.94 cm

 $2^{3/4''}$

6.99 cm

2 1/2"

6.35 cm

2 3/16"

5.56 cm

1 7/8"

4.76 cm

1 3/8"

3.49 cm

ROCKER

5 1/2"

13.97 cm

3 1/8"

7.94 cm

1 3/4"

4.45 cm

1"

2.54 cm

1/2"

1.27 cm

1/32"

0.08 cm

1/16"

0.16 cm

7/16"

1.11 cm

11/16"

1.75 cm

1 1/16"

2.70 cm

1 1/2"

3.81 cm

2"

5.08 cm

Designed in July 2006 by PAT RAWSON



6'11 1/2" (212.09 cm)

TIP-TO-TIP DECK LENGTH 6'10 3/4" (210.19 cm)

MAX WIDTH

22 1/8" (56.20 cm)

MAX THICKNESS

3 3/16" (8.10 cm)

DISPLACEMENT

2.12 ft³ (60.0 L)

NATURAL ROCKER

5 1/2"N 2"T

11.75 cm 11 7/16" 29.05 cm $15^{-5/8''}$ 39.69 cm $18^{-3/8''}$ 46.67 cm $20^{1/8''}$ 51.12 cm 21 7/8" 55.56 cm 22 1/16" CENTER 56.04 cm 21 9/16" 36" 54.77 cm 24"

WIDTH

4 5/8"

45.40 cm $15^{-3/4''}$ 40.00 cm

 $12^{-3/4''}$ 32.39 cm

8 1/2" 21.59 cm

"The slightly wider outline allows for board designs ranging from bigger guy ^{49.85} cm Shortboards to fun shapes. The Natural Rocker is good for vee in the tail and contoured bottom designs. The Hawaii Rocker can be used for high performance styles."

PAT RAWSON



USBlanks.com

USBlanks.com/catalog/shortboards/70A/

18"

12"

SHORTBOARD

THICKNESS

1 1/8"

2.86 cm

1 3/4"

4.45 cm

2 3/16"

5.56 cm

2 1/2"

6.35 cm

2 3/4"

6.99 cm

7.62 cm

7.62 cm

2 15/16"

7.46 cm

2 5/8"

6.67 cm

2 7/16"

6.19 cm

 $2^{1/8''}$

5.40 cm

1 13/16"

4.60 cm

1 5/16"

3.33 cm

ROCKER

5 11/16"

14.45 cm

3 1/2"

8.89 cm

2 1/16"

5.24 cm

1 1/4"

3.18 cm

11/16"

1.75 cm

3/32"

0.24 cm

1/16"

0.16 cm

3/8"

0.95 cm

11/16"

1.75 cm

1"

2.54 cm


1 7/16"

3.65 cm

2 1/16"

5.24 cm

Designed in July 2006 by PAT RAWSON



OVERALL BOTTOM LENGTH 7'0 7/8" (215.58 cm)

TIP-TO-TIP DECK LENGTH 6'11" (213.04 cm)

MAX WIDTH

22 3/16" (56.36 cm)

MAX THICKNESS

3" (7.62 cm)

DISPLACEMENT

2.05 ft³ (58.1 L)

NATURAL ROCKER


5 11/16"N 2 1/16"T



"About 3/16" thinner than the 7'0"A, this can net a 6'11" bottom length. The Natural Rocker is good for vee in 44.69 cm the tail and contoured bottom designs. The Hawaii Rocker can be used in

high performance styles. I personally like the 7'2"EA bottom curve glued-up with this one for a flatter deck design.

PAT RAWSON



15 5/8" 39.69 cm 12 3/4" 32.39 cm

WIDTH

4 1/2"

9" 22.86 cm

USBlanks.com

USBlanks.com/catalog/shortboards/71A/

ROCKER

5 3/8"

13.65 cm

3 5/16"

8.41 cm

1 15/16"

4.92 cm

1 1/8"

2.86 cm

9/16"

1.43 cm

1/32"

0.08 cm

1/16"

0.16 cm

5/16"

0.79 cm

5/8"

1.59 cm

2.54 cm

1 1/2"

3.81 cm

2 1/4"

5.72 cm

THICKNESS

7/8"

2.22 cm

1 1/2"

3.49 cm

2"

5.08 cm

 $2^{3/8''}$ 6.03 cm

2 11/16"

6.83 cm

2 15/16"

7.46 cm

3"

7.62 cm

2 15/16"

7.46 cm

2 11/16"

6.83 cm

2 7/16"

6.19 cm

 $2^{1/8''}$

5.40 cm

1 5/8"

4.13 cm

1"

2.54 cm

Designed in July 2006 by **ERIC ARAKAWA**



7'0 1/2" (214.63 cm)

TIP-TO-TIP DECK LENGTH

6'11 3/4" (212.73 cm)

MAX WIDTH

22 9/16" (57.31 cm)

MAX THICKNESS

3" (7.62 cm)

DISPLACEMENT

1.93 ft³ (54.6 L)

NATURAL ROCKER

5 3/8"N 2 1/4"T

WIDTH 3 1/4" 8.26 cm 11 1/8" 28.26 cm $15^{-3/4''}$ 40.01 cm $18^{-5/8''}$ 47.31 cm 20 7/16" 51.91 cm 22 5/16" 56.67 cm 22 9/16" CENTER 57.31 cm 22 5/16" 36" 56.67 cm

47.47 cm

 $16^{-1/4''}$ 41.28 cm

12 7/16"

31.59 cm 6"

15.24 cm

"The slightly wider outline allows for board designs ranging from bigger guy Shortboards to fun shapes. The Natural Rocker is good for vee in the tail and 18 11/16" contoured bottom designs. The Hawaii Rocker can be used for high performance styles."

PAT RAWSON



USBlanks.com

USBlanks.com/catalog/fun-boards/71EA/

24"

18"

12"

ROCKER

6 1/16"

15.40 cm

3 7/8"

9.84 cm

2 5/16"

5.87 cm

1 1/4"

3.18 cm

5/8"

1.59 cm

1/16"

0.16 cm

1/16"

0.16 cm

1/2"

1.27 cm

13/16"

2.06 cm

1 5/16"

3.33 cm

1 15/16"

4.92 cm

2 9/16"

6.51 cm

THICKNESS

2.38 cm

1 5/16"

3.33 cm

1 13/16"

4.60 cm

2 1/4"

5.72 cm

2 9/16"

6.51 cm

2 7/8"

7.30 cm

2 15/16"

7.46 cm

2 7/8"

7.30 cm

 $2^{5/8''}$

6.67 cm

 $2^{3/8''}$

6.03 cm

2 1/16"

5.24 cm

1 11/16"

4.29 cm

1 3/8"

3.49 cm

Designed in April 2006 by **ERIC ARAKAWA**

OVERALL BOTTOM LENGTH

7'2 1/2" (219.71 cm)

TIP-TO-TIP DECK LENGTH

7′1 7/8″ (218.12 cm)

MAX WIDTH

21 5/8" (54.93 cm)

MAX THICKNESS

2 15/16" (7.46 cm)

DISPLACEMENT

1.89 ft³ (53.4 L)

NATURAL ROCKER

6 1/16"N 2 9/16"T

3 1/2" 8.89 cm 9 1/4" 23.50 cm 13 1/4" 33.66 cm 16 1/4" 18" 41.28 cm 18 9/16" Solarmáðé in USA 47.15 cm 21 3/16" 53.82 cm $21^{-5/8''}$ CENTER 54.93 cm 21 ^{7/16}″ 54.45 cm 36"

24"

18"

12"

WIDTH

 $19^{3/8}$ " 49.21 cm

17 9/16"

15 1/4" 38.74 cm

11 15/16" 30.32 cm

 $6^{1/4''}$ 15.88 cm

"This blank is a versatile high performance semi-gun which was designed in series with the 7'8"EA. 44.61 cm The rocker and foil will accommodate a wide variety of bottom contours." **ERIC AWAKAWA**



USBlanks.com

USBlanks.com/catalog/guns/72EA/

FISH/EGG

Designed in July 2006 by PAT RAWSON

OVERALL BOTTOM LENGTH

7'2 7/8" (220.66 cm)

TIP-TO-TIP DECK LENGTH

7'2 3/8" (219.39 cm)

MAX WIDTH

24" (60.96 cm)

MAX THICKNESS

3 5/8" (9.21 cm)

DISPLACEMENT

2.74 ft³ (77.7 L)

NATURAL ROCKER

5 5/16"N 2 1/16"T



 $23^{-1/2''}$ 59.69 cm

7 3/8"

18.73 cm

 $14^{-1/2}$ "

36.83 cm

 $18^{-1/2''}$

46.99 cm

21"

53.34 cm

22 ^{1/2"} 57.15 cm


24" 60.96 cm


24"

60.96 cm

"This is my enlarged version of the 6'10" A Fish blank. I designed this one to be able to easily net 7'1" by the 54.29 cm bottom measurement. Should net 6'9" to 7'1" length for contemporary, retro 19 13/16" Fish or single fin designs." 50.32 cm

PAT RAWSON





USBlanks.com

USBlanks.com/catalog/fish-eggs/73A/




42

FISH/EGG

7'4"SP

Designed in June 2014 by

TOM PARRISH & CHARLIE SMITH



USBlanks.com

USBlanks.com/catalog/fish-eggs/74SP/

THICKNESS

1"

2.54 cm

1 1/2"

3.81 cm

2"

5.08 cm

 $2^{3/8''}$

6.03 cm

2 5/8"

6.67 cm

2 15/16"

7.46 cm

3"

7.62 cm

2 7/8"

7.30 cm

2 9/16"

6.51 cm

2 3/8"

6.03 cm

2 1/16"

5.24 cm

1 3/4"

4.45 cm

1 3/8" 3.49 cm

ROCKER

6"

15.24 cm

3 9/16"

9.05 cm

2 1/16"

5.24 cm

1 3/16"

3.02 cm

11/16"

1.75 cm

1/8"

0.32 cm

3/32"

0.24 cm

1/2"

1.27 cm

13/16"

2.06 cm

1 3/16"

2.06 cm

1 5/8"

4.13 cm

2 1/8"

5.40 cm

Designed in July 2006 by PAT RAWSON

OVERALL BOTTOM LENGTH

7'4 1/2" (224.79 cm)

TIP-TO-TIP DECK LENGTH

7'3 7/16" (222.09 cm)

MAX WIDTH

21 7/8" (55.56 cm)

MAX THICKNESS

3" (7.62 cm)

DISPLACEMENT

2.13 ft³ (60.2 L)

NATURAL ROCKER

6"N 2 1/8"T



"Will net 7'3" bottom length. The Natural Rocker is good for vee in the tail and contoured bottom designs. The Hawaii rocker can be used for high performance styles. I personally 17 1/2" like he 7'2"EA bottom extended curve

glued up with this one for a flatter deck design."

PAT RAWSON



USBlanks.com

USBlanks.com/catalog/fun-boards/75A/

8 1/2"

21.59 cm



44

THICKNESS

1 1/16"

2.70 cm

1 1/2"

ROCKER

5 3/8"

13.65 cm

3 7/16"

8.73 cm

2 1/16"

5.24 cm

1 1/4"

3.18 cm

11/16"

1.75 cm

1/8"

0.32 cm

1/8"

0.32 cm

1/2"

1.27 cm

7/8"

2.22 cm

1 1/4"

3.18 cm

1 3/4"

4.45 cm

2 5/16"

5.87 cm

7'6"EA

Designed in July 2006 by ERIC ARAKAWA

OVERALL BOTTOM LENGTH

7'6" (228.60 cm)

TIP-TO-TIP DECK LENGTH

7'5 3/8" (227.01 cm)

MAX WIDTH

23" (58.42 cm)

MAX THICKNESS

3 3/16" (8.10 cm)

DISPLACEMENT

2.28 ft³ (64.6 L)

NATURAL ROCKER

5 3/8"N 2 5/16"T



"This is primarily designed for making Funboards. It comes with a moderate but continuous even rocker and foil to make positioning the blank for the shaping process easy. The deck contour tapers to keep the foam harder on the rail on the finished shape. It's a longer version of the 7'1" EA."

ERIC ARAKAWA

WIDTH 2 ^{7/8"} 7.30 cm 10 ^{15/16"} 27.78 cm

27.78 cm 15 ^{5/8"} 39.69 cm

18 ^{11/16}" 47.47 cm

20 ^{5/8"} 52.39 cm

22 ^{5/8"} 57.47 cm

22 ^{15/16}″ 58.26 cm

22 ^{7/16"} 56.99 cm

20 ^{3/8}" 51.75 cm 18 ^{1/2}" 46.99 cm

16 ^{1/8}″ 40.96 cm

12 ^{5/8″} 32.07 cm

6 ^{5/8"} 16.83 cm

3.81 cm 2 1/16" 5.24 cm 2 1/2" 18" 6.35 cm 2 3/4" Solarmade in USA 6.99 cm 3 1/8" 7.94 cm 3 3/16" CENTER 8.10 cm 3 1/16" 36" 7.78 cm 2 11/16" 24" 6.83 cm 2 7/16" 18" 6.19 cm $2^{1/8''}$ 12" 5.40 cm 1 3/4" 4.45 cm

USBlanks.com

1 3/8"

3.49 cm

USBlanks.com/catalog/fun-boards/76EA/



45

THICKNESS

ROCKER

4"

1 5/8"

15/16"

3/16"

1/8"

9/16"

13/16"

1 1/4"

Designed in July 2006 by PAT RAWSON

OVERALL BOTTOM LENGTH

7'6 5'8" (230.19 cm)

TIP-TO-TIP DECK LENGTH

7'6" (228.60 cm)

MAX WIDTH

22 7/8" (58.10 cm)

MAX THICKNESS

3 7/16" (8.73 cm)

DISPLACEMENT

2.63 ft³ (74.6 L)

NATURAL ROCKER

6"N 2 3/16"T

12.07 cm 11 13/16" 30.00 cm $16^{1/4''}$ 41.28 cm 19" 18" 48.26 cm 20 3/4" Solarmádé in USA 52.71 cm 22 11/16" 57.63 cm 22 7/8" CENTER 58.10 cm 22 1/8" 36" 56.20 cm

WIDTH

 $4^{3/4}$ "

 $18^{-1/8''}$

16 1/8"

13 1/2"


34.29 cm

9 3/4"

24.77 cm

"The thicker 7'7" A blank easily nets a 7'5" bottom length. The Natural 19 15/16" Rocker is good for vee in the tail and 50.64 cm contoured bottom designs. The Hawaii Rocker can be used for high performance styles. I personally like the 7'8"EA bottom curve (Hawaii rocker) glued up with this one for a flatter deck design for a bigger rider." PAT RAWSON

46.04 cm 40.96 cm



USBlanks.com

Designed in June 2021 by PAT RAWSON

OVERALL BOTTOM LENGTH

7'8 3/4" (235.59 cm)

TIP-TO-TIP DECK LENGTH

7'7 3/4" (233.01 cm)

MAX WIDTH

24 3/8" (61.91 cm)

MAX THICKNESS


3 15/16" (10.00 cm)


DISPLACEMENT

3.234 ft³ (91.58 L)

NATURAL ROCKER

5 1/2"N 2 1/4"T





work well for designs under 7'7"x $23.7x \ 3 \ 5/8$ ". This may be the best blank I've made yet. Thanks for the help, Timmy!"

PAT RAWSON



GUN

ROCKER

 $6^{3/16''}$

15.72 cm

4"

10.16 cm

2 1/2"

6.35 cm

1 1/2"

3.81 cm

13/16"

2.06 cm

1/8"

0.32 cm

1/8"

0.32 cm

5/8"

1.59 cm

2.54 cm

1 3/8"

3.49 cm

1 15/16"

4.92 cm

 $2^{5/8''} 6.67 \text{ cm}$

THICKNESS

1"

2.54 cm

1 3/8"

3.49 cm

1 13/16"

4.60 cm

2 1/4"

5.72 cm

2 9/16"

6.51 cm

3″ 7.62 cm

7.62 cm

2 7/8"

7.30 cm

2 9/16"

6.51 cm

2 5/16"

5.87 cm

2"

5.08 cm

1 5/8"

4.13 cm

1 3/8"

3.49 cm

7'8"EA

Designed in June 2007 by ERIC ARAKAWA

OVERALL BOTTOM LENGTH

7'9" (236.22 cm)

TIP-TO-TIP DECK LENGTH

7'8 3/16" (234.16 cm)

MAX WIDTH

21 7/8" (55.56 cm)

MAX THICKNESS

3" (7.62 cm)

DISPLACEMENT

2.03 ft³ (57.5 L)

NATURAL ROCKER


6 3/16"N 2 5/8"T



"Designed in series with the 7'2"EA to yield Guns in the 7'0" to 7'7" range.

This blank is a versatile high performance semi-Gun. The rocker and foil will accommodate a wide variety of bottom contours."

ERIC ARAKAWA



USBlanks.com/catalog/guns/78EA/



USBlanks.com

FISH/EGG

THICKNESS

1 1/8"

2.86 cm

1 11/16"

4.29 cm

2 1/16"

5.24 cm

2 5/16"

5.87 cm

2 5/8" 6.67 cm

3" 7.62 cm

3 3/16"

8.10 cm

3 1/16"

7.78 cm

2 5/8"

6.67 cm

 $2^{3/8''}$

6.03 cm

2 1/16"

5.24 cm

1 5/8"

4.13 cm

1 3/16"

3.02 cm

ROCKER

3 1/2" 8.89 cm

2 9/16"

6.51 cm

1 7/8"

4.76 cm

1 5/16"

3.33 cm

7/8"

2.22 cm

3/16"

0.48 cm

3/16"

0.48 cm

13/16"

2.06 cm

1 3/16"

3.02 cm

1 11/16"

4.29 cm

2 1/4"

5.40 cm

2 15/16"

7.46 cm

Designed in July 2006 by **ROGER HINDS**

OVERALL BOTTOM LENGTH

7'8 5/8" (235.27 cm)

TIP-TO-TIP DECK LENGTH

7'8 3/8" (234.63 cm)

MAX WIDTH

23 9/16" (59.85 cm)

MAX THICKNESS

3 3/16" (8.10 cm)

DISPLACEMENT

2.51 ft³ (71.2 L)

NATURAL ROCKER

3 1/2"N 2 15/16"T

WIDTH 16 1/4" 41.28 cm 19 3/4" 50.17 cm 21 1/2" 54.61 cm 22 ^{5/8"} 57.47 cm Solarmade in USA 23 1/2" 59.69 cm 23 9/16" CENTER 59.85 cm $\begin{array}{c} 22^{\ 3/4''} \\ 57.79 \ cm \end{array}$ 36"

24"

18"

12"

34.77 cm

8 1/2"

21.59 cm

"Designed for retro Funshapes. Based on feedback from the 7'11"H and 8'4" H with improvements made in the thickness and foil. Should accommodate many rockers and ideally be hand shaped."

20 7/8" 53.02 cm 19 1/4" 48.90 cm **ROGER HINDS** 17 1/16" 43.34 cm 13 11/16"



FISH/EGG

THICKNESS

1 1/2"

3.81 cm

2 1/16"

5.24 cm

2 7/16"

6.19 cm

2 11/16"

6.83 cm

3″ 7.62 cm

3 3/8" 8.57 cm

3 9/16"

9.05 cm

3 7/16"

8.73 cm

3"

7.62 cm

 $2^{3/4''}$

6.98 cm

2 7/16"

6.19 cm

2"

5.08 cm

1 9/16"

3.97 cm

ROCKER

3 1/2" 8.89 cm

2 9/16"

6.51 cm

1 7/8"

4.76 cm

1 5/16"

3.33 cm

7/8"

2.22 cm

3/16"

0.48 cm

3/16"

0.48 cm

13/16"

2.06 cm

1 3/16"

3.02 cm

1 11/16"

4.29 cm

2 1/4"

5.40 cm

2 15/16"

7.46 cm

Designed in July 2006 by **ROGER HINDS**

OVERALL BOTTOM LENGTH

7'8 5/8" (235.27 cm)

TIP-TO-TIP DECK LENGTH

7'8 3/8" (234.63 cm)

MAX WIDTH

23 9/16" (59.85 cm)

MAX THICKNESS

3 9/16" (9.05 cm) 7'9"H with 3/8" added thickness overall

DISPLACEMENT

2.51 ft³ (71.2 L)

NATURAL ROCKER

3 1/2"N 2 15/16"T



"This is a 3/8" thicker version of the 7'9"H. Designed for retro Funshapes. Based on feedback from the 7'11"H and 8'4"H with improvements made in the thickness and foil. Should accommodate many rockers and ideally be hand shaped."

ROGER HINDS

Solarmade in USA CENTER 36" 24" 18" 12"

16 1/4" 41.28 cm 19 3/4" 50.17 cm $21^{-1/2''}$ 54.61 cm 22 ^{5/8"} 57.47 cm 23 1/2" 59.69 cm 23 9/16" 59.85 cm 22 ^{3/4"} 57.79 cm 20 7/8"

34.77 cm

WIDTH

8 1/2" 21.59 cm

53.02 cm

19 1/4"

48.90 cm

17 1/16"

43.34 cm

13 11/16"

USBlanks.com

USBlanks.com/catalog/fish-eggs/79HX/


FISH/EGGS

USBlanks.com

7'10"SP

Designed in May 2014 by

TOM PARRISH & CHARLIE SMITH



GUNS

ROCKER

6 7/16"

Designed in September 2006 by

PAT RAWSON

OVERALL BOTTOM LENGTH

7'11 1/2" (242.57 cm)

TIP-TO-TIP DECK LENGTH

7'10 11/16" (240.51 cm)

MAX WIDTH

21 7/8" (55.56 cm)

MAX THICKNESS

3 1/8" (7.94 cm)

DISPLACEMENT

2.32 ft³ (65.7 L)

NATURAL ROCKER

6 7/16"N 2 1/2"T



20 ^{5/8}″ 52.39 cm

 $14^{-1/8}$ ″

11 1/4"

7 1/8"

20 5/8"

WIDTH

3 1/2"

8.89 cm

9 1/8"

23.18 cm


 $13^{-1/4}$ "

33.66 cm

 $16^{3/8''}$

7'9" bottom length. The Natural Rocker is good for vee in the tail and contoured bottom designs. The Hawaii rocker can bemused for high

PAT RAWSON



THICKNESS

1 1/8"

41.59 cm $18^{\ 5/8''} \\ 47.31 \ cm$ 21 5/16" 54.13 cm 52.39 cm 41.59 cm 35.88 cm 28.58 cm 18.10 cm

"This midsize Gun blank can net a 18 1/8" 46.04 cm performance styles." $16^{3/8''}$

FISH/EGGS

Designed in July 2006 by **ROGER HINDS**

OVERALL BOTTOM LENGTH

8'0 1/8" (244.16 cm)

TIP-TO-TIP DECK LENGTH

7'11 5/8" (242.89 cm)

MAX WIDTH

23 5/8" (60.01 cm)

MAX THICKNESS

3 5/16" (8.41 cm)

DISPLACEMENT

2.77 ft³ (78.4 L)

NATURAL ROCKER

3 9/16"N 3 1/8"T



22 ^{5/8}″ 57.47 cm

WIDTH

 $15^{-3/8''}$

39.05 cm

19 1/16"

48.42 cm

21 1/16"

53.50 cm

22 3/16"

56.36 cm

23 7/16"

59.53 cm

23 5/8"

60.01 cm

"Designed for retro Funshapes. Based on feedback from the 7'11"H and 8'4" H with improvements made in the thickness and foil. Should accommodate many rockers and ideally be hand shaped."

 $6^{3/4''}$


18 13/16" 47.78 cm $16^{7/16''}$ 41.75 cm 13" 33.02 cm

20 1/2"

52.07 cm

17.15 cm

ROGER HINDS





THICKNESS

1"

2.54 cm

1 7/16"

3.65 cm

1 15/16"

4.92 cm

2 7/16"

6.19 cm

2 13/16"

7.14 cm

3 5/16"

8.41 cm

3 3/8"

8.57 cm

3 3/16"

8.10 cm

2 3/4"

6.99 cm

2 7/16"

6.19 cm

 $2^{1/8''}$

5.40 cm

1 11/16"

4.29 cm

1 5/16"

3.33 cm

ROCKER

6 7/16"

16.35 cm

 $4^{3/8''}$

11.11 cm

2 7/8"

7.30 cm

1 13/16"

4.60 cm

1 1/16"

2.70 cm

1/4"

0.64 cm

3/16"

0.48 cm

5/8"

1.59 cm

15/16"

2.38 cm

1 3/8"

3.49 cm

2"

5.08 cm

2 11/16"

6.83 cm

Designed in July 2006 by **ERIC ARAKAWA**

OVERALL BOTTOM LENGTH

8'0 5/8" (245.43 cm)

TIP-TO-TIP DECK LENGTH

7'11 3/4" (243.21 cm)

MAX WIDTH

24 1/16" (61.19 cm)

MAX THICKNESS

3 3/8" (8.57 cm)

DISPLACEMENT

2.66 ft³ (75.3 L)

NATURAL ROCKER

6 7/16"N 2 11/16"T

30.80 cm 17 1/16" 43.34 cm 19 13/16" 50.32 cm 21 9/16" 54.77 cm 23 7/16" 59.53 cm 24 1/16" CENTER 61.12 cm 36" 24" 18"



"This is primarily designed for making

WIDTH

3 3/8"

8.57 cm

 $12^{-1/8''}$

23 7/16" This is primarily designed for maxing 59.53 cm Funboards. It comes with a moderate but continuous even rocker and foil to make positioning the blank for the shape process easy. It's a longer version of the 7'6"EA but I added width forward to accommodate wider

noses."

ERIC ARAKAWA

21 1/8" 53.66 cm 19 1/4" 48.90 cm $16^{3/4''}$ 42.55 cm 13 3/8" 33.97 cm

7 3/4" 19.69 cm

USBlanks.com

USBlanks.com/catalog/fun-boards/81EA/

Designed in July 2008 by PAT RAWSON

OVERALL BOTTOM LENGTH

4"

8'2 1/2" (250.19 cm)

TIP-TO-TIP DECK LENGTH 8'1 1/2" (250.19 cm)

MAX WIDTH

25" (63.50 cm)

MAX THICKNESS

4 1/16" (10.32 cm)

DISPLACEMENT

3.59 ft³ (101.7 L)

NATURAL ROCKER


6 5/8"N 2 9/16"T



"I designed the 8'2" A to be a serious 'big guy' blank for either high performance retros or fun blank for either high performance retros or fun $24^{1/16''}$ Gun styles. It has a performance bottom curve and enough volume for 300lbs surfers. It should be able to yield 8'0" x 24" x 3 3/4" with ability to position the overall rocker and nose widths as needed. Cutting 2" length off the nose will enable an 18 1/2" nose width at 12" back and facilitate well for 'big guy' Fish designs. My special thanks to Ben Aipa who $\frac{17}{44.93}$ cm provided the inspiration on the overall design of the blank and the 9'3"A."

PAT RAWSON





2 5/8"

6.68 cm

2 1/8"

5.40 cm

1 3/4"

4.45 cm

1 1/2"

3.81 cm

2"

5.08 cm

2 9/16"

6.51 cm

USBlanks.com

17 11/16"

14 5/16"

36.35 cm

9 1/2"

24.13 cm

USBlanks.com/catalog/fun-boards/82A/

THICKNESS

1 11/16"

4.29 cm

2 3/16"

5.56 cm

2 13/16"

7.14 cm

 $3^{3/8''}$

8.57 cm

3 3/4"

9.53 cm

4 5/16"

10.95 cm

4 7/16"

11.27 cm

4 1/4"

10.80 cm

3 3/4"

9.53 cm

3 3/8"

8.57 cm

3"

7.62 cm

2 1/2"

6.35 cm

2 1/8"

5.40 cm

ROCKER

6 5/8"

16.83 cm

 $4^{3/8''}$

11.11 cm

2 11/16"

6.83 cm

1 11/16"

4.29 cm

2.54 cm

1/4"

0.64 cm

3/16"

0.48 cm

11/16"

1.75 cm

1 1/16"

2.70 cm

1 1/2"

3.81 cm

5.08 cm

2 9/16"

6.51 cm

Designed in July 2008 by

PAT RAWSON

OVERALL BOTTOM LENGTH

8'2 1/2" (250.19 cm)

TIP-TO-TIP DECK LENGTH

8'1 1/2" (250.19 cm)

MAX WIDTH

25" (63.50 cm)

MAX THICKNESS

4 7/16" (11.27 cm) 8'2" A with 3/8" added thickness overall

DISPLACEMENT

3.99 ft³ (113.1 L)

NATURAL ROCKER

6 5/8"N 2 9/16"T

24 1/16" 61.12 cm

WIDTH

10.16 cm

 $12^{-1/2''}$

31.75 cm

17 3/8"

44.13 cm

20 ^{1/4"} 52.07 cm

22 7/16"

56.99 cm

24 7/16"

62.07 cm

25"

63.50 cm

Solarmade in USA

CENTER

36"

24"

18"

"Same as the 8'2" A but shimmed to produce 3/8" thicker. It has a performance bottom curve and enough volume for 300lbs surfers. It should be able to yield 8'0" x 24" x 3 3/4" with ability to position the overall rocker and nose widths as needed. Cutting 2" length off the nose will enable an 18 1/2" nose width at 12" back and facilitate well for 'big guy' Fish designs. My special thanks to Ben Aipa who $\frac{17}{44.93} \frac{17}{\text{cm}}$ provided the inspiration on the overall design

21 7/8"

9 1/2"

55.56 cm 20 1/8" 51.12 cm 17 11/16"

14 5/16" 36.35 cm

24.13 cm

USBlanks.com

USBlanks.com/catalog/fun-boards/82AX/



56

of the blank and the 9'3"A."

PAT RAWSON

THICKNESS

1 1/4"

3.18 cm 1 5/8"

4.13 cm

2 1/16"

5.24 cm

2 7/16"

6.19 cm

2 3/4"

6.99 cm

3 3/16"

8.10 cm

3 3/8"

8.57 cm

3 3/16"

8.10 cm

2 13/16"

7.14 cm

2 7/16"

6.19 cm

2 1/16"

5.24 cm

1 11/16"

4.29 cm

1 1/8"

2.86 cm

ROCKER

 $4^{1/8}$ " 10.48 cm

3"

7.62 cm

2 1/8"

5.40 cm

1 7/16"

3.65 cm

15/16"

2.38 cm

1/4"

0.64 cm

7/32"

0.56 cm

13/16"

2.06 cm

1 1/4"

3.18 cm

1 7/8"

4.76 cm

2 1/2"

6.35 cm

3 3/16"

8.10 cm

Designed in July 2006 by **ROGER HINDS**

OVERALL BOTTOM LENGTH

8'3 1/8" (251.78 cm)

TIP-TO-TIP DECK LENGTH

8'2 5/8" (250.51 cm)

MAX WIDTH

23 5/8" (60.01 cm)

MAX THICKNESS

3 5/16" (8.41 cm)

DISPLACEMENT

2.74 ft³ (77.6 L)

NATURAL ROCKER

 $15^{-1/8}$ " 38.42 cm $18^{-3/4''}$ 47.63 cm 20 3/4" 52.71 cm 22" USBianks 55.88 cm 23 5/16" 59.21 cm 4 1/8"N 3 3/16"T 23 5/8" CENTER 60.01 cm $\begin{array}{c} 22^{\ 5/8''} \\ 57.47 \ cm \end{array}$ 36" "Designed for retro Funshapes. Based $20^{-1/2''}$ 24" 52.07 cm $18^{3/4''}$ 18" 47.63 cm **ROGER HINDS** 16 5/16" 12" 41.43 cm 12 7/8" 32.70 cm

WIDTH

7 5/8" 19.37 cm

on feedback from the 7'11"H and 8'4" H with improvements made in the thickness and foil. Should accommodate many rockers and ideally be hand shaped."




FISH/EGGS

8'4"SP

Designed in May 2009 by

TOM PARRISH & CHARLIE SMITH




FISH/EGGS

8'4"SPX

Designed in May 2009 by

TOM PARRISH & CHARLIE SMITH



GUNS

ROCKER

 $6^{3/4''}$

17.15 cm

4 9/16"

11.59 cm

2 7/8"

7.30 cm

1 11/16"

4.29 cm

2.54 cm

9/32"

0.71 cm

7/32"

0.56 cm

5/8"

1.59 cm

2.54 cm

1 3/8"

3.49 cm

1 7/8"

4.76 cm

2 7/16"

6.19 cm

THICKNESS

1 1/4"

3.18 cm

1 3/4"

4.45 cm

2 3/16"

5.56 cm

2 11/16"

6.83 cm

3"

7.62 cm

3 5/16"

8.41 cm

3 3/8"

8.57 cm

3 3/16"

8.10 cm

 $2^{3/4''}$

6.99 cm

2 1/2"

6.35 cm

2 3/16"

5.56 cm

1 13/16"

4.60 cm

1 7/16"

3.65 cm

Designed in September 2006 by

PAT RAWSON



8'6 3/8" (260.03 cm)

TIP-TO-TIP DECK LENGTH

8'5 1/2" (257.81 cm)

MAX WIDTH

22" (55.88 cm)

MAX THICKNESS

3 3/8" (8.57 cm)

DISPLACEMENT

2.70 ft³ (76.5 L)

NATURAL ROCKER

6 3/4"N 2 7/16"T



WIDTH

8.89 cm 8 7/8" 22.54 cm

3 1/2"

12 15/16" 32.86 cm

12"

18"

CENTER

36"

24"

18"

12"

16" 40.64 cm

 $18^{-3/8''}$ 46.67 cm

21 1/16" 53.50 cm

21 15/16" 55.72 cm

 $\begin{array}{c} 20^{\ 1/2''} \\ 52.07 \ cm \end{array}$

17 15/16" 45.56 cm good for vee in the tail and contoured

 $16^{-1/8''}$ 40.96 cm

13 11/16" 34.77 cm

10 9/16" 26.83 cm

 $6^{1/2''}$ 16.51 cm

"The 8'5" A blank easily nets an 8'4" bottom length. The Natural Rocker is

bottom designs. The Hawaii Rocker can be used for high performance styles."

PAT RAWSON



USBlanks.com

USBlanks.com/catalog/fun-boards/85A/

8'6"EA

Designed in September 2006 by ERIC ARAKAWA

OVERALL BOTTOM LENGTH

8'6" (259.08 cm)

TIP-TO-TIP DECK LENGTH

8'5 1/8" (257.81 cm)

MAX WIDTH

24 1/16" (61.12 cm)

MAX THICKNESS

3 3/8" (8.57 cm)

DISPLACEMENT

2.72 ft³ (77.0 L)


NATURAL ROCKER

6 9/16"N 2 5/8"T



"This blank is designed to yield big Funboards and 'big guy' Guns."

ERIC ARAKAWA





Designed in April 2007 by **RENNY YATER**

OVERALL BOTTOM LENGTH

8'9" (266.70 cm)

TIP-TO-TIP DECK LENGTH

8'8 1/2" (265.43 cm)

MAX WIDTH

24 13/16" (63.02 cm)

MAX THICKNESS

3 3/8" (8.57 cm)


DISPLACEMENT

3.25 ft³ (92.1 L)

NATURAL ROCKER

4 1/8"N 3 3/16"T

9'3"Y as the reference and intended for 8'6" Longboards. As compared to the 9'3"Y it has proportionally less volume. It's 6" shorter, 1/4" narrower, 1/8" thinner and a little wider in the tail area."



22.86 cm

WIDTH

 $17^{3/8''}$

ROCKER THICKNESS 4 1/8" 1 5/16" 10.48 cm 3.33 cm 3" 9.05 cm 1 7/8" 4.76 cm 2 1/8" 2 5/16" 5.40 cm 5.87 cm 1 7/16" 2 5/8" 3.65 cm 6.67 cm 2 ^{13/16}" 7.14 cm 15/16" 2.38 cm 9/32" 3 1/8" 0.71 cm 7.94 cm 3 5/16" 8.41 cm 3 3/8" 8.57 cm 3 5/16" 8.41 cm 5/16" 3 3/16" 8.10 cm 0.79 cm 13/16" 2 7/8" 2.06 cm 7.30 cm 1 1/4" 2 5/8" 6.67 cm 3.18 cm 1 3/4" 2 5/16" 4.45 cm 5.87 cm 1 15/16" $2^{3/8''}$ 6.03 cm 5.08 cm

USBlanks.com

1 5/16"

3.33 cm

3 3/16"


8.10 cm

USBlanks.com/catalog/longboards/89Y/



8'9"YX

Designed in April 2007 by RENNY YATER



GUNS

ROCKER

7 5/8"

19.37 cm

5 3/8"

13.65 cm

THICKNESS

1 5/16"

3.33 cm


1 11/16"

4.29 cm

9'2"A

Designed in September 2006 by

PAT RAWSON



TIP-TO-TIP DECK LENGTH 9'2" (279.40 cm)

MAX WIDTH

22 1/4" (56.52 cm)

MAX THICKNESS

3 1/2" (8.89 cm)

DISPLACEMENT

3.12 ft³ (88.3 L)


NATURAL ROCKER

7 5/8"N 2 3/4"T



20" "The 9'2" A blank easily nets 9'2" bottom length. It's designed for classic big wave paddle-in Guns. The Natural Rocker is good for vee in the tail and contoured bottom designs. The Hawaii rocker can be used for high performance styles."

PAT RAWSON



WIDTH

4"

10.16 cm

 $8^{3/4''}$

22.23 cm

 $12^{5/8''}$

32.07 cm

15 3/4"

40.01 cm

18"

45.72 cm

21"

53.34 cm

12"

18"

USBlanks

2 3/16" 3 5/8" 5.56 cm 9.21 cm $2^{3/8''}$ 2 5/8" 6.03 cm 5.78 cm 1 9/16" 3" 3.97 cm 7.62 cm 1/2" 3 3/8" 8.57 cm 1.27 cm 3 1/2" 8.89 cm 3/8" 3 1/8" 0.95 cm 7.94 cm 7/8" 2 5/8" 2.22 cm 6.67 cm 1 1/4" 2 3/8" 3.18 cm 6.03 cm 1 9/16" 2 1/16" 3.97 cm 5.24 cm 2 1/8" 1 11/16" 5.40 cm 4.29 cm

USBlanks.com

1 3/8"

3.49 cm

2 3/4"

6.99 cm

USBlanks.com/catalog/guns/92A/



Designed in July 2008 by PAT RAWSON

OVERALL BOTTOM LENGTH 9'3 9/16"" (283.37 cm)

TIP-TO-TIP DECK LENGTH 9'2 5/8" (280.99 cm)

MAX WIDTH

25 1/2" (64.77 cm)

MAX THICKNESS

4 5/16" (10.95 cm)

DISPLACEMENT

4.30 ft³ (121.7 L)


NATURAL ROCKER 7 11/16"N 3 1/16"T



"I designed the 9'3" A to be a very serious 'big guy' longer version of the 8'2"A for either high performance, retros, or fun Guns. Designed with a performance bottom curve and enough volume for 375lbs surfers. It should be able to yield 9' x 24.5" x 4" with ability to position the overall rocker and nose widths as needed. Cutting 2" off the nose will enable an 18 3/4" nose width at 12" back and accommodate 'big guy' Fish designs. Special thanks to Ben Aipa for inspiration on this and the 8'2"A."

PAT RAWSON





12 5/16" 31.27 cm 17 1/8" 43.50 cm 20 1/4" 51.44 cm 22 ^{1/4"} 56.52 cm $\begin{array}{c} 24^{\ 1/2''} \\ 62.23 \ cm \end{array}$ 25 5/16" 64.29 cm $25^{1/2}$ ' 64.77 cm 25 1/8" 63.82 cm $\begin{array}{cc} 23^{~7/8''} \\ 60.64 \text{ cm} \end{array}$ 21 ^{3/2"} 54.29 cm 19 7/16" 49.37 cm 16 15/16" 42.02 cm 13 5/8" 34.61 cm 8 1/2"

USBlanks.com

21.59 cm

THICKNESS

10.80 cm

3 3/4"

9.53 cm

3 7/16"

8.73 cm

3 1/8"

7.94 cm

2 5/8"

6.67 cm

2 1/8" 5.40 cm

ROCKER

Designed in July 2008 by PAT RAWSON

OVERALL BOTTOM LENGTH 9'3 9/16"" (283.37 cm)

TIP-TO-TIP DECK LENGTH 9'2 5/8" (280.99 cm)

MAX WIDTH

25 1/2" (64.77 cm)

MAX THICKNESS

4 11/16" (11.91 cm) 9'3" A with 3/8" added thickness overall.

DISPLACEMENT


4.30 ft³ (121.7 L)

NATURAL ROCKER 7 11/16"N 3 1/16"T

"This is the 3/8" thicker version of the 9'3"A. Designed with a performance bottom curve and enough volume for 375lbs surfers. It should be able to yield 9' x 24.5" x 4" with ability to position the overall rocker and nose widths as needed. Cutting 2" off the nose will enable an 18 3/4" nose width at 12" back and accommodate 'big guy' Fish designs. Special thanks to Ben Aipa for inspiration on this and the 8'2"A."

PAT RAWSON





 $\begin{array}{cc} 23^{\ 7/8''} \\ 60.64 \ cm \end{array}$ 21 ^{3/2"} 54.29 cm 19 7/16" 49.37 cm 16 15/16" 42.02 cm 13 5/8" 34.61 cm 8 1/2" 21.59 cm

WIDTH

7/16"

1.11 cm

2.54 cm

1 3/8"

3.49 cm

1 ^{7/8"} 4.76 cm

2 7/16"

6.19 cm

3 ^{1/16"} 7.78 cm

36"

24"

18

12'

THICKNESS

1 3/8"

3.49 cm

2"

5.08 cm

2 3/8"

6.03 cm

2 11/16"

6.83 cm

2 7/8"

7.30 cm

3 1/4"

8.26 cm

3 3/8"

8.57 cm

3 1/2"

8.89 cm

3 7/16"

8.73 cm

3 1/4"

8.26 cm

2 15/16"

7.46 cm

2 11/16"

6.83 cm

 $2^{3/8''}$

6.03 cm

2 1/16"

5.24 cm

1 7/16"

3.65 cm

ROCKER

4 5/16"

10.95 cm

3 3/16"

8.10 cm

2 5/16"

5.87 cm

1 5/8"

4.13 cm

1 1/16"

2.70 cm

3/8"

0.95 cm

1/16"

0.16 cm

1/16"

0.16 cm

3/8"

0.95 cm

15/16"

2.38 cm

1 5/16"

3.33 cm

1 13/16"

4.60 cm

2 9/16"

6.51 cm

3 1/4"

8.26 cm

Designed in July 2006 by **RENNY YATER**

OVERALL BOTTOM LENGTH

9'3" (281.94 cm)

TIP-TO-TIP DECK LENGTH

9'2 5/8" (280.99 cm)

MAX WIDTH

25 1/16" (63.66 cm)

MAX THICKNESS

3 1/2" (8.89 cm)

DISPLACEMENT

3.70 ft³ (104.7 L)


NATURAL ROCKER

4 5/16"N 3 1/4"T



"Intended for classic Longboard designs under the 9'1" range. The 9'3" Y has proven to be one of the most popular blanks. The Natural Rocker is in the middle of the demand curve. But remember, the further you change the Natural Rocker, the wider the wood stringer it needs to hold it from springback."

RENNY YATER



WIDTH





USBlanks.com

USBlanks.com/catalog/longboards/93Y/

THICKNESS

1 5/16"

3.33 cm

1 11/16"

4.28 cm

2"

5.08 cm

 $2^{3/8''}$

6.03 cm

2 5/8"

6.67 cm

3"

7.62 cm

3 1/4"

8.26 cm

3 5/16"

8.41 cm

3 1/4"

8.26 cm

7.62 cm

2 5/8"

6.67 cm

2 3/8"

6.03 cm

2 1/8"

5.40 cm

1 3/4"

4.45 cm

1 1/2"

3.81 cm

ROCKER

 $4^{3/4''}$ 12.07 cm

3 1/2"

8.89 cm

2 1/2"

6.35 cm

1 3/4"

4.45 cm

1 3/16"

3.02 cm

7/16"

1.11 cm

1/16"

0.16 cm

3/32"

0.24 cm

7/16"

1.11 cm

1 3/32"

2.78 cm

1 9/16"

3.97 cm

2 1/8"

5.40 cm

2 3/4"

6.96 cm

3 1/2"

8.89 cm

9'4"B

Designed in July 2006 by BRUCE JONES

OVERALL BOTTOM LENGTH

9'3 1/2" (283.21 cm)

TIP-TO-TIP DECK LENGTH

9'3 1/16" (282.10 cm)

MAX WIDTH

25 1/16" (63.66 cm)

MAX THICKNESS

3 5/16" (8.41 cm)

DISPLACEMENT

3.42 ft³ (96.7 L)


NATURAL ROCKER

4 3/4"N 3 1/2"T



"From the original 9'4"B plug with thickness added to the tail area of the deck to make it a more shaper friendly blank. Close tolerance for strength. Will net 24" x 3 1/8". Bottom rockers from the previous 9'4"B will work well with this blank."

BRUCE JONES



WIDTH

USBlanks.com

USBlanks.com/catalog/longboards/94B/



THICKNESS

1 3/8"

3.49 cm

1 3/4"

4.45 cm

2 1/16"

5.24 cm

 $2^{3/8''}$

6.03 cm

2 5/8"

6.67 cm

2 15/16"

7.46 cm

3 3/16"

8.10 cm

3 3/16"

8.10 cm

3 3/16"

8.10 cm

7.62 cm

2 11/16"

6.83 cm

2 7/16"

6.19 cm

 $2^{1/8''}$

5.40 cm

1 3/4"

4.45 cm

1 3/8"

3.49 cm

ROCKER

4 13/16" 12.22 cm

3 7/16"

8.73 cm

2 7/16"

6.19 cm

1 3/4"

4.45 cm

1 3/16"

3.02 cm

7/16" 1.11 cm

1/16"

0.16 cm

1/16"

0.16 cm

7/16"

1.11 cm

1 1/8"

2.86 cm

1 9/16"

3.97 cm

2 1/8"

5.40 cm

2 13/16"

7.14 cm

3 5/8"

9.21 cm

Designed in August 2007 by

MATT YERXA

OVERALL BOTTOM LENGTH

9'4 7/16" (285.59 cm)

TIP-TO-TIP DECK LENGTH

9'3 3/4" (283.85 cm)

MAX WIDTH

24 11/16" (62.71 cm)

MAX THICKNESS

3 3/16" (8.10 cm)

DISPLACEMENT


3.27 ft³ (92.7 L)

NATURAL ROCKER

4 13/16"N 3 5/8"T



Longboard blank designed to accommodate both machine and hand shaping. The deck immoderately flat with a slight taper toward the tail to ensure maximum strength. It has slightly more volume in the nose and



WIDTH



6"

15.24 cm

THICKNESS

1 5/8"

4.13 cm

2 1/8"

5.40 cm

2 1/2"

6.35 cm

2 13/16"

7.14 cm

3"

7.62 cm

3 1/4"

8.26 cm

3 1/2"

8.89 cm

3 5/8"

9.21 cm

3 9/16"

9.05 cm

3 3/8"

8.57 cm

- 3" 8.57 cm

2 3/4"

6.96 cm

2 1/2"

6.35 cm

2 3/16"

5.56 cm

1 1/2"

3.81 cm

ROCKER

4 1/2"

11.43 cm

3 5/16"

8.41 cm

2 3/8"

6.03 cm

1 11/16"

4.29 cm

1 1/8"

2.86 cm

7/16"

1.11 cm

1/16"

0.16 cm

1/8"

0.38 cm

1/2"

1.27 cm

1 1/8"

2.86 cm

1 5/8"

4.13 cm

2 1/8"

5.40 cm

2 3/4"


6.99 cm

3 5/8"

9.21 cm

USBlanks.com

Designed in July 2006 by **RENNY YATER**



Tip-to-Tip Deck Length 9'7 3/4" (294.01 cm)

> Max Width 25 1/4" (64.14 cm)

> > **Max Thickness** 3 5/8" (9.21 cm)

> > > **Displacement**

4.19 ft³ (118.7 L)

Natural Rocker 4 1/2"N 3 5/8"T



"Intended for classic Longboard designs under the 9'6" range. The Natural Rocker is in the middle of the demand curve. But remember, the further you change the Natural Rocker, the wider the wood stringer it needs to hold it from springback."

RENNY YATER

17 5/16" 43.97 cm $20^{3/4''}$ 12" 52.71 cm 22 3/16" 18" 56.36 cm 23 5/16" 24" 59.21 cm **USBlanks** 24 5/8" 62.55 cm 25 1/4" 48" 64.14 cm 25 3/16" CENTER 63.98 cm 24 5/8" 48" 62.55 cm 23 1/2"

36"

24"

18"

12"

WIDTH

59.69 cm

 $21^{-1/2''}$

54.61 cm

19 3/4"

50.17 cm

17 5/8"

44.77 cm

 $14^{-1/4}$ ″

36.20 cm

9 1/8"

23.18 cm

USBlanks.com/catalog/longboards/98Y/

GUNS

ROCKER

7 11/16"

19.56 cm

5 7/16"

13.81 cm

3 3/4"

9.53 cm

2 1/2"

6.35 cm

1 11/16"

4.29 cm

5/8"

1.59 cm

5/32"

0.40 cm

1/8"

0.32 cm

1/2"

1.27 cm

1 1/8"

2.86 cm

1 1/2"

3.81 cm

1 15/16"

4.92 cm

2 1/2"

6.35 cm

3 1/8"

7.94 cm

THICKNESS

1 3/8" 3.49 cm

1 3/4"

4.46 cm

2 1/8"

5.40 cm

2 1/2"

6.35 cm 2 15/16"

7.46 cm

3 3/8" 8.57 cm

3 5/8"

9.21 cm

3 5/8"

9.21 cm

3 7/16"

8.73 cm

3 1/16"

7.78 cm

2 5/8"

6.67 cm

2 5/16"

5.87 cm

5.08 cm 1 3/4"

4.45 cm

1 7/16"

3.65 cm

Designed in September 2006 by

PAT RAWSON

OVERALL BOTTOM LENGTH 9'9 1/4" (297.82 cm)

TIP-TO-TIP DECK LENGTH 9'8 3/8" (295.59 cm)

MAX WIDTH

22 7/16" (56.99 cm)

MAX THICKNESS


3 11/16" (9.37 cm)

DISPLACEMENT

3.23 ft³ (91.5 L)

NATURAL ROCKER

7 11/16"N 3 1/8"T



WIDTH

3" 7.62 cm

"The 9'9" A easily nets 9'8" bottom length and is intended for big wave paddle Guns. The Natural Rocker is good for vee in the tail and contoured bottom designs. The Hawaii rocker can be used for high performance styles."

PAT RAWSON



15 ^{1/4"} 38.74 cm

5 1/2"

ROCKER

7 11/16" 19.56 cm

5 7/16"

13.81 cm

3 3/4"

9.53 cm

2 1/2"

6.35 cm

1 11/16"

4.29 cm

5/8"

1.59 cm

5/32"

0.40 cm

1/8"

0.32 cm

1/2"

1.27 cm

1 1/8"

2.86 cm

1 1/2"

3.81 cm

1 15/16"

4.92 cm

2 1/2"

6.35 cm

 $3^{1/8''}$ 7.94 cm

THICKNESS

1 3/4"

4.43 cm

2 1/8"

5.41 cm

2 1/2"

6.35 cm

2 7/8"

7.30 cm

3 5/16"

8.41 cm

3 3/4"

9.52 cm

4"

10.16 cm

4"

10.16 cm

3 13/16"

9.68 cm

3 7/16"

8.73 cm

3"

7.62 cm

2 11/16"

6.82 cm

 $2^{-3/8''}$

6.03 cm

2 1/8"

5.41 cm

1 13/16"

4.60 cm

Designed in September 2006 by

PAT RAWSON

OVERALL BOTTOM LENGTH 9'9 1/4" (297.82 cm)

TIP-TO-TIP DECK LENGTH 9'8 3/8" (295.59 cm)

MAX WIDTH

22 7/16" (56.99 cm)

MAX THICKNESS

3 11/16" (9.37 cm) 9'9"A with 3/8" added thickness overall

DISPLACEMENT

3.23 ft³ (91.5 L)


NATURAL ROCKER

7 11/16"N 3 1/8"T

"3/8" thicker than the 9'9"A. The 9'9" $\frac{20^{1/16''}}{50.96 \text{ cm}}$ AX easily nets 9'8" bottom length and is intended for big wave paddle Guns. The Natural Rocker is good for vee in 17 3/16" the tail and contoured bottom designs.

> The Hawaii rocker can be used for high performance styles."

PAT RAWSON



8 5/8" 21.91 cm 12 7/16" 31.59 cm 15 5/16" 38.89 cm 17 5/8" 44.77 cm 20 11/16" 52.55 cm 22 3/16" 56.36 cm $22^{7/16''}$ 56.99 cm 21 ^{3/4}″ 55.25 cm 43.66 cm 15 ^{1/4"} 38.74 cm

12 3/4" 32.39 cm 9 13/16" 24.92 cm 5 1/2" 13.97 cm

WIDTH



USBlanks.com

USBlanks.com/catalog/guns/99AX/

THICKNESS

1 1/4"

3.18 cm 1 13/16"

4.60 cm

2 1/4"

5.72 cm

2 11/16"

6.83 cm

3"

7.62 cm

3 1/2"

8.89 cm

3 3/4"

9.53 cm

3 11/16"

9.37 cm

3 5/8"

9.21 cm

3 5/16"

8.41 cm

2 7/8"

7.30 cm

2 9/16"

6.51 cm

2 1/4"

5.72 cm

1 7/8"

4.76 cm

1 7/16"

3.65 cm

ROCKER

4 7/16" 11.27 cm

 $\begin{array}{c} 3^{~3/8''} \\ 8.57~\text{cm} \end{array}$

2 1/2"

6.35 cm

1 3/4"

4.45 cm

1 1/4"

3.18 cm

1/2"

1.27 cm

3/32"

0.24 cm

1/8"

0.32 cm

1/2"

1.27 cm

1 3/16"

3.02 cm

1 11/16"

4.29 cm

2 3/8"

6.03 cm

3 3/16"

8.10 cm

4 1/8"

10.48 cm

Designed in July 2006 by **BRUCE JONES**

OVERALL BOTTOM LENGTH

9'9 5/8" (298.77 cm)

TIP-TO-TIP DECK LENGTH

9'9 1/8" (297.50 cm)

MAX WIDTH

24 15/16" (63.34 cm)

MAX THICKNESS

3 3/4" (9.53 cm)

DISPLACEMENT

4.022 ft³ (113.9 L)

NATURAL ROCKER

4 7/16"N 4 1/8"T



"Intended for Longboard shapes from 9'2" to 9'6", this is a close tolerance blank that will net 24" x 3 1/4" maximum dimensions. Natural Rocker will make a nice all-around Longboard shape. Rockers from the previous 9'8" will work well with this blank."

BRUCE JONES

$16^{3/8''}$ 41.59 cm 12" 18" 24" **USBlanks** CENTER 48" 36" 24" 12"

19 15/16" 50.64 cm 21 7/8" 55.56 cm 23 1/16" 58.58 cm 24 7/16" 62.07 cm 24 13/16" 63.34 cm 24 13/16" 63.02 cm 24 1/4" 61.60 cm 22 7/8" 58.10 cm 20 9/16" 52.23 cm 18 7/8" 47.94 cm 16 7/16" 41.75 cm 13" 33.02 cm 7 1/2" 19.05 cm

WIDTH


USBlanks.com

USBlanks.com/catalog/guns/99B/

10'0"BG

Designed in November 2015 by


PAT RAWSON & ERIC ARAKAWA



10'1"C

Designed in February 2016 by

MATT CALVANI



OVERALL BOTTOM LENGTH 10'2" (309.88 cm)

TIP-TO-TIP DECK LENGTH 10'1 3/8" (308.29 cm)

MAX WIDTH 25 7/16" (64.61 cm)

MAX THICKNESS 4 1/8" (10.48 cm)

DISPLACEMENT 5.053 ft³ (143.1 L)

NATURAL ROCKER 4 7/16"N 3 5/8"T




"The 10'1"C is a shorter version of the 10'8"C, designed to net a finished thickness from 3 3/8" to 3 7/8" or more. I recommend the 10'2"B for thinner boards. The 10'1"C features a flat deck with a fuller rail and wider nose and tail to accommodate classic Longboards, Pigs, and high performance Longboards. Despite the thickness, it's is designed to accommodate broad rocker changes and fill foil out nicely at the suggested thickness."

MATT CALVANI



1117"

Designed in July 2006 by



USBlanks.com

1 5/16"

3.33 cm

1 13/16"

4.60 cm

2 1/2"

6.35 cm

3 ^{7/16"} 8.73 cm

2 5/8"

6.67 cm

2 1/4"

5.72 cm

1 13/16"

4.60 cm

1 5/16"

3.33 cm

USBlanks.com/catalog/longboards/102B/

18"

12"

19 13/16"

50.32 cm 17 9/16"

44.61 cm

 $14^{-1/4''}$

36.20 cm

9 1/4" 23.50 cm



1117"RX

Designed in July 2006 by

BRUCE JONES ROCKER THICKNESS WIDTH **OVERALL BOTTOM LENGTH** 4 13/16" 1 5/8" 10'2 1/4" (310.52 cm) 12.22 cm 4.13 cm 17 1/2" 3 5/8" 2 1/8" 9.21 cm 44.45 cm 5.40 cm **TIP-TO-TIP DECK LENGTH** 2 5/8" 2 9/16" 20 ^{3/4"} 52.71 cm 12" 10'1 1/2" (308.61 cm) 6.67 cm 6.51 cm 22 5/16" 1 7/8" 2 ^{15/16}″ 7.47 cm 18" 4.76 cm 56.67 cm **MAX WIDTH** 23 ^{7/16"} 59.53 cm 3 3/16" 25 3/16" (63.98 cm) 1 5/16" 24" 8.10 cm 3.33 cm **MAX THICKNESS** USBlanks 3 3/4" (9.53 cm) 24 5/8" 9/16" 3 1/2" 62.63 cm 1.43 cm 8.90 cm 10'2"B with 1/4" added thickness overall **DISPLACEMENT** 3 11/16" 5/32" $25^{3/16''}$ 4.61 ft³ (130.5 L) 63.98 cm 0.40 cm 9.37 cm NATURAL ROCKER 4 13/16"N 3 7/16"T 3 3/4" 25 1/8" CENTER 9.53 cm 63.82 cm 24 ^{1/2}″ 62.23 cm 1/16" 3 11/16" 48" 0.16 cm 9.37 cm "This is the 10'2"B with 1/4" thickness added overall. Intended for Longboard 23 7/16" 3/8" 3 1/2" 36" 59.53 cm shapes from 9'8" to 10'0", this is a 0.95 cm 8.90 cm close tolerance blank that will net 24" x 3 3/8" maximum dimensions. 3 1/8" 21 ^{3/8"} 54.29 cm 15/16" Rockers from the previous 10'1" will 24" 2.38 cm 7.94 cm work well with this blank." 1 5/16" 19 13/16" 2 7/8"

USBlanks.com

7.31 cm

2 1/2"

6.36 cm 2 1/16"

5.24 cm

1 9/16"

3.97 cm

3.33 cm

1 13/16"

4.60 cm

2 1/2"

6.35 cm

3 ^{7/16"} 8.73 cm

USBlanks.com/catalog/longboards/102BX/

50.32 cm

17 9/16"

44.61 cm

 $14^{-1/4''}$

36.20 cm

9 1/4" 23.50 cm

18"

12"

BRUCE JONES

ROCKER

3 7/16"

8.73 cm

USBlanks.com

1 1/2"

3.81 cm

10'6"A

Designed in September 2006 by

WIDTH

PAT RAWSON

OVERALL BOTTOM LENGTH 10'6 3/4" (321.95 cm)

TIP-TO-TIP DECK LENGTH 10'5 7/8" (319.72 cm)

MAX WIDTH

23 3/16" (58.90 cm)

MAX THICKNESS

3 3/4" (9.53 cm)

DISPLACEMENT

3.77 ft³ (106.8 L)


NATURAL ROCKER

8 3/16"N 3 7/16"T



"The 10'6" A easily nets 10'5" bottom length. The Natural Rocker is good for vee in the tail and contoured bottom designs. The Hawaii rocker can be used for high performance styles."

PAT RAWSON



THICKNESS

SOLARMADE

USBLANKS

USBlanks.com/catalog/guns/106A/

15.24 cm

III'R"AX

Designed in September 2006 by

PAT RAWSON

OVERALL BOTTOM LENGTH 10'6 3/4" (321.95 cm)

TIP-TO-TIP DECK LENGTH 10′5 7/8″ (319.72 cm)

MAX WIDTH

23 3/16" (58.90 cm)

MAX THICKNESS

4 1/4" (10.80 cm) 10'6" A with 1/2" added thickness overall

DISPLACEMENt

4.37 ft³ (123.7 L)

NATURAL ROCKER

8 3/16"N 3 7/16"T




 $_{19\ ^{13/16''}}$ "This is the 10'6"A with 1/2" thickness 50.32 cm added overall. The 10'6" A easily nets 10'5" bottom length. The Natural Rocker is good for vee in the tail and contoured bottom designs. The Hawaii

> rocker can be used for high performance styles."

> > PAT RAWSON





4"

10.16 cm

3 ^{1/16}" 7.78 cm

3 ^{1/16}" 7.78 cm

2 13/16"

7.14 cm

2 1/2"

6.35 cm

2 5/16"

5.87 cm

2"

5.08 cm

0.64 cm

3/4"

1.91 cm

1 1/2"

3.81 cm

1 15/16"

4.92 cm

2 3/8"

6.03 cm

2 7/8"

7.30 cm

3 7/16"

8.73 cm

4" 10.16 cm 8 ^{7/16"} 21.43 cm 12 3/8" 12" 31.43 cm $15^{3/8''}$ 18" 39.05 cm 17 3/4" 24" 45.09 cm USBlanks 21 1/16" 53.50 cm 22 13/16" 57.94 cm 23 ^{3/16"} 58.90 cm CENTER 21 7/8" 48" 55.56 cm 36" 24" 18" 12" 6

42.55 cm $14^{-3/4''}$ 37.47 cm 12 3/8" 31.43 cm

WIDTH


9 3/8" 23.81 cm 6" 15.24 cm

USBlanks.com USBlanks.com/catalog/guns/106AX/


10'8"BG

Designed in November 2013 by

PAT RAWSON & ERIC ARAKAWA



Designed in February 2016 by MATT CALVANI



OVERALL BOTTOM LENGTH 10'9" (327.66 cm)

TIP-TO-TIP DECK LENGTH

10'8 1/8" (325.44 cm)

MAX WIDTH 26 9/16" (67.47 cm)

MAX THICKNESS 4 5/16" (10.95 cm)

DISPLACEMENT 5.76 ft³ (163.2 L)

NATURAL ROCKER 4 15/16"N 3 7/8"T



"The 10'8"C was designed to net a finished thickness of 3 5/8" to 4" or more. I recommend the 10'8"Y for 3 1/2" and thinner. The 10'8"C features a flat deck with a fuller rail and wider nose and tail to accommodate classic Longboards, Pigs, and high performance Longboards. Despite the thickness, it is designed to accommodate broad rocker changes and will foil out nicely at the suggested thickness with more than enough room to accommodate a variety of bottom contours."

MATT CALVANI



THICKNESS

1 9/16"

3.97 cm

2 1/8"

5.40 cm

2 9/16"

6.51 cm

2 7/8"

7.30 cm

3 1/8"

7.94 cm

3 7/16"

8.73 cm

3 9/16"

9.05 cm

3 3/4"

9.53 cm

3 5/8"

9.21 cm

3 1/2"

8.89 cm

3 1/8"

7.94 cm

2 7/8"

7.30 cm

2 1/2"

6.35 cm

2 3/16"

5.56 cm

1 1/2"

3.81 cm

ROCKER

 $\begin{array}{cc} 5^{-1/4''} \\ 13.34 \text{ cm} \end{array}$

3 15/16"

10.00 cm

2 15/16"

7.46 cm

2 3/16"

5.56 cm

1 9/16"

3.97 cm

11/16"

1.75 cm

1/4"

0.64 cm

3/16"

0.48 cm

9/16"

1.43 cm

1 1/4"

3.18 cm

1 5/8"

4.13 cm

2 3/16"

5.56 cm

2 13/16"

7.14 cm

3 5/8"

9.21 cm

10'8"Y

Designed in September 2006 by

RENNY YATER

OVERALL BOTTOM LENGTH 10'7 7/8" (324.80 cm)

TIP-TO-TIP DECK LENGTH 10'7 5/16" (323.37 cm)

MAX WIDTH

25 1/2" (64.77 cm)

MAX THICKNESS

3 3/4" (9.53 cm)

DISPLACEMENT

4.77 ft³ (135.1 L)


NATURAL ROCKER

5 1/4"N 3 5/8"T



"Intended for classic Longboard designs under the 10'6" range. The Natural Rocker is in the middle of the demand curve. But remember, the further you change the Natural Rocker, the wider the wood stringer it needs to hold it from springback."

RENNY YATER



SOLARMADE
USBLANKS

ROCKER

5 1/8"

THICKNESS

1 7/8"

Designed in August 2008 by

JEFF TIMPONE

OVERALL BOTTOM LENGTH

10'9 3/8" (328.61 cm)

TIP-TO-TIP DECK LENGTH

10'9" (327.66 cm)

MAX WIDTH

32 1/6" (81.44 cm)

MAX THICKNESS


5" (12.70 cm)

DISPLACEMENT

8.31 ft³ (235.3 L)

NATURAL ROCKER

5 1/8"N 3 1/16"T




WIDTH

26 ^{5/8"} 67.63 cm 24 9/16" 62.39 cm

"I tried to make this Stand Up blank as versatile as possible. It has plenty of width and thickness to do just about anything an SUP design might require. The rocker should also allow shapers a wide range of options."

JEFF TIMPONE






11'2"C

Designed in August 2022 by


MATT CALVANI



11'8"BG

Designed in January 2014 by

PAT RAWSON & ERIC ARAKAWA



USBlanks.com

2 7/8"

7.30 cm

2 1/2"

6.35 cm 2 1/8"

5.40 cm

2 1/4"

5.72 cm

2 7/8"

7.30 cm

3 9/16"

9.05 cm

USBlanks.com/catalog/guns/108BG/

15 15/16"

40.48 cm

12 13/16"

32.54 cm

8 1/4"

20.96 cm


design opportunities due to ample

thickness in the nose and tail areas."

PAT RAWSON

11'8"C

Designed in October 2021 by



Our proprietary bead and revolutionary molding and production techniques have allowed us to develop a surfboard specific EPS foam. Our *Superfused* EPS technology allows us to achieve superior bead fusion, consistency and quality. Combined with our progressive mold designs, we have taken EPS epoxy board building to a whole new level.

Unlike most other EPS manufacturers, our blanks are shape molded under extreme pressure. This allows for superior penetration and bead fusion during the molding process that cannot be achieved in block molding. The tight fusion means the foam is considerably more air tight and water tight than any of its predecessors thus eliminating the need for taping or spackling before machining, nor does it need spackling/seal-coating prior to glassing. As a result, *Superfused EPS* laminates lighter and stronger as it absorbs less resin while maintaining a superior mechanical bond.

Due to the incredible strength and memory characteristics, shapers have experienced "spring back" when applying forced rocker adjustments to *Superfused EPS*. By not applying any post induced surface tensions we have eliminated these known "spring back" problems. We accomplish this by starting with an excellent rocker along with increased volume in the nose and tail areas allowing the shaper to accommodate proprietary custom rocker configurations without having to make physical adjustments during the glue up process.


Another benefit of *Superfused EPS* is the reduction in waste (no off cuts because the blanks are molded).

All sizes are offered in both 1.5 pcf and 2.0 pcf densities. Combined with our variable thickness capabilities, US Blanks SUPERFUSED EPS has quickly become the most user friendly, versatile, industry leading EPS on the market, and has set a new standard world wide.

USBlanks.com 87

6'5" EPS

Designed in October 2007 by ERIC ARAKAWA



TIP-TO-TIP DECK LENGTH 6'4 13/16" (195.10 cm)

MAX WIDTH

20 3/8" (51.75 cm)

MAX THICKNESS

2 3/4" (6.99 cm)

AVAILABLE DENSITIES

1.5 pcf & 2.0 pcf


NATURAL ROCKER

5 1/2"N 2 1/16"T




"This blank is designed for high performance Shortboards up to 20 1/4" in width. At 2 3/4" thick it remains versatile and will accept subtle rocker adjustments from center."

ERIC ARAKAWA



SUPERFUSED 6'5"X EPS

Designed in October 2007 by ERIC ARAKAWA



TIP-TO-TIP DECK LENGTH 6'4 13/16" (195.10 cm)

MAX WIDTH

20 3/8" (51.75 cm)

MAX THICKNESS

3" (7.62 cm)

AVAILABLE DENSITIES

1.5 pcf & 2.0 pcf


NATURAL ROCKER

5 1/2"N 2 1/16"T



"At 3" max thickness, this blank is identical to the previous version with 1/4" additional thickness along the entire length. This blank is designed for high performance Shortboards up to 20 1/4" in width. At 2 3/4" thick it remains versatile and will accept subtle rocker adjustments from center."

ERIC ARAKAWA



6.03 cm

4.13 cm

16.51 cm

6'8" EPS

Designed in February 2008 by ERIC ARAKAWA

OVERALL BOTTOM LENGTH 6'9" (205.74 cm)

TIP-TO-TIP DECK LENGTH

6'8" (203.20 cm)

MAX WIDTH

21 7/16" (54.45 cm)

MAX THICKNESS

2 7/8" (7.30 cm)

AVAILABLE DENSITIES

1.5 pcf & 2.0 pcf


NATURAL ROCKER

5 3/8"N 2 3/8"T



"Designed for versatility to accommodate a wide range of board styles from Fish to Big Guy Shortboards. The manufacturing process ensures uniform density and fusion throughout, allowing the shaper to use the maximum width of the blank if necessary. A close tolerance version to yield quick shape and generate less waste."

ERIC ARAKAWA



USBlanks.com

SUPERFUSED 6'8"X EPS

Designed in April 2007 by ERIC ARAKAWA



6'9" (205.74 cm)

TIP-TO-TIP DECK LENGTH

6'8" (203.20 cm)

MAX WIDTH

21 7/16" (54.45 cm)

MAX THICKNESS

3 1/4" (8.57 cm)

AVAILABLE DENSITIES

1.5 pcf & 2.0 pcf

NATURAL ROCKER

5 3/8"N 2 3/8"T




"The X is the max volume version of the 6'8". Designed for versatility to accommodate a wide range of board styles from Fish to Big Guy

Shortboards. The manufacturing process ensures uniform density and fusion throughout, allowing the shaper to use the maximum width of the blank if necessary. A close tolerance version to yield quick shape and generate less waste."

12 1/4"

ERIC ARAKAWA




6.03 cm

3.49 cm

17.15 cm

7'2" **EPS**

Designed in October 2008 by ERIC ARAKAWA



TIP-TO-TIP DECK LENGTH 7'1 3/4" (217.81 cm)

MAX WIDTH

21 9/16" (54.77 cm)

MAX THICKNESS

2 15/16" (7.46 cm)


AVAILABLE DENSITIES 1.5 pcf & 2.0 pcf

NATURAL ROCKER

5 13/16"N 2 7/8"T



"Designed for high performance semi-Guns. The added volume in the nose and tail will accommodate a wide variety of rockers." ERIC ARAKAWA



SUPERFUSED 7'2"X EPS

Designed in October 2008 by ERIC ARAKAWA



7'2" (220.35 cm)

TIP-TO-TIP DECK LENGTH

7'1 3/4" (217.81 cm)

MAX WIDTH

21 9/16" (54.77 cm)

MAX THICKNESS

3 5/16" (8.41 cm)

AVAILABLE DENSITIES

1.5 pcf & 2.0 pcf


NATURAL ROCKER

5 13/16"N 2 7/8"T



"The X version is the max volume version of the 7'2". Designed for high performance semi-Guns. The added volume in the nose and tail will accommodate a wide variety of rockers."

ERIC ARAKAWA



7'8" EPS

Designed in March 2009 by ERIC ARAKAWA

OVERALL BOTTOM LENGTH 7'9" (236.22 cm)

TIP-TO-TIP DECK LENGTH

7'7 7/8" (233.36 cm)

MAX WIDTH

23 1/4" (59.06 cm)

MAX THICKNESS

3 1/4" (8.26 cm)

AVAILABLE DENSITIES

1.5 pcf & 2.0 pcf


NATURAL ROCKER

5 9/16"N 2 9/16"T



"This is a multipurpose blank which can be used for Funboards, Big Guy boards and Guns. The extra volume will accommodate a wide variety of rocker configurations."

ERIC ARAKAWA



4"

Designed in June 2007 by **ERIC ARAKAWA**



7'9" (236.22 cm)

TIP-TO-TIP DECK LENGTH

7′7 7/8″ (233.36 cm)

MAX WIDTH

23 1/4" (59.06 cm)

MAX THICKNESS

3 5/8" (9.21 cm)

AVAILABLE DENSITIES

1.5 pcf & 2.0 pcf


NATURAL ROCKER

5 9/16"N 2 9/16"T



22 ^{3/4"} 57.79 cm "The X is the max volume version of the 7'8". This is a multipurpose blank which can be used for Funboards, Big Guy boards and Guns. The extra 20 5/8" volume will accommodate a wide 52.39 cm variety of rocker configurations."

ERIC ARAKAWA



USBlanks.com

5 9/16"

14.13 cm

3 11/16" 9.37 cm

2 3/16"

5.57 cm

1 1/4"

3.18 cm

11/16"

1.75 cm

1/8"

0.32 cm

1/8"

0.32 cm

1/2"

1.27 cm

13/16"

2.06 cm

1 1/4"

3.18 cm

1 7/8"

4.76 cm

2 9/16"

6.51 cm

16"

5 1/4"

4 1/4"

10.80 cm

3 ^{3/16"} 8.10 cm

2 3/16"

5.56 cm

1 1/2"

3.81 cm

15/16"

2.38 cm

1/4"

0.64 cm

1/8"

0.32 cm

1/2"

1.27 cm

13/16"

2.06 cm

1 5/16"

3.33 cm

1 15/16"

4.92 cm

2 1/8"

5.40 cm

WIDTH

6 3/4"

17.15 cm

17 13/16"

45.24 cm

21 ^{1/16}″ 53.50 cm

 $\frac{22}{57.79} \frac{3/4''}{cm}$

 $\frac{23^{3/4''}}{60.33 \text{ cm}}$

25" 63.50 cm

25 ^{1/4}" 64.14 cm

 $\begin{array}{cc} 25 \ ^{3/16''} \\ 63.98 \ cm \end{array}$

25 1/8"

63.82 cm

24 ^{5/16}″ 61.75 cm

22 3/8"

56.83 cm

 $20^{3/4''}$ 52.71 cm

18 ^{1/2}" 46.99 cm

15 ^{1/4"} 38.74 cm

9 1/2"

24.13 cm

Designed in March 2009 by **RENNY YATER**



OVERALL BOTTOM LENGTH 8'7 7/8" (263.84 cm)

> TIP-TO-TIP DECK LENGTH 8'7" (261.62 cm)

> > **MAX WIDTH**

25 1/4" (64.14 cm)

MAX THICKNESS

3 3/16" (8.10 cm)

AVAILABLE DENSITIES

1.5 pcf & 2.0 pcf


NATURAL ROCKER

4 1/4"N 2 1/8"T



"This blank is a scaled down version of the 9'8". The goal was to design an EPS mold plug that would accommodate any Longboard shape program in the 7'10" to 8'6" range for machine cutting purposes. After analyzing our rocker template database we came up with a 'middle of the road' rocker profile and added thickness to the nose and tail to allow for straight to extreme profiles. The plan shape and width have also been maximized. This blank is offered in 2 thicknesses to accommodate both machine and hand shaping."

RENNY YATER



SUPERFUSED 8'8"X EPS

18"

Designed in December 2014 by RENNY YATER

OVERALL BOTTOM LENGTH

8'7 7/8" (263.84 cm)

TIP-TO-TIP DECK LENGTH

8'7" (261.62 cm)

MAX WIDTH

25 1/4" (64.14 cm)

MAX THICKNESS

3 9/16" (9.05 cm)

AVAILABLE DENSITIES

1.5 pcf & 2.0 pcf

NATURAL ROCKER

4 1/4"N 2 1/8"T

"The max volume version of the 8'8". This blank is a scaled down version of the 9'8". The goal was to design an EPS mold plug that would

program in the 7'10" to 8'6" range for machine cutting purposes. After analyzing our rocker template

accommodate any Longboard shape

database we came up with a 'middle of the road' rocker profile and added thickness to the nose and tail to allow

for straight to extreme profiles. The plan shape and width have also been maximized. This blank is offered in 2

thicknesses to accommodate both

machine and hand shaping."

RENNY YATER

WIDTH

7" 17.78 cm 17 ^{13/16}" 45.24 cm 21 ^{1/16}" 53.50 cm

22 ^{3/4"} 57.79 cm

23 ^{3/4"} 60.33 cm

25" 63.50 cm

 $\begin{array}{c} 25^{~3/8''} \\ 64.45 \text{ cm} \\ 25^{~1/4''} \\ 64.14 \text{ cm} \end{array}$

 $\begin{array}{cc} 25 \ ^{3/16''} \\ 63.98 \ cm \end{array}$

 $24^{3/8''}$ 61.91 cm

22 ^{3/8"} 56.83 cm

20 ^{3/4"} 52.71 cm

18 ^{1/2}" 46.99 cm

 $15^{-1/4''} \\ 38.74 \text{ cm}$

10 ^{1/4}" 26.04 cm

2.38 cm 8.26 cm USBlanks SUPERFUSED FPS 1/4" 3 1/2" 0.64 cm 8.89 cm 3 9/16" CENTER 9.05 cm 48" 3 1/2" 1/8" 36" 8.89 cm 0.32 cm 3 1/4" 1/2" 24" 1.27 cm 8.26 cm 3" 13/16" 18" 7.62 cm 2.06 cm 1 5/16" 2 11/16" 12" 3.33 cm 6.83 cm 1 15/16" 2 1/4" 4.92 cm 5.72 cm

1 3/4"

4.45 cm

THICKNESS

1 5/8"

4.13 cm

2 1/8"

5.40 cm

2 5/8"

6.67 cm

3"

7.62 cm

3 1/4"

USBlanks.com

2 1/8"

5.40 cm

ROCKER

 $4^{1/4''}$ 10.80 cm

3 ^{3/16"} 8.10 cm

2 3/16"

5.56 cm

1 1/2"

3.81 cm

15/16"

1 3/8"

3.49 cm

1 11/16"

4.29 cm

2 1/16"

5.24 cm

2 3/8"

6.03 cm

2 5/8"

6.67 cm

2 13/16"

7.14 cm

3"

7.62 cm

3"

7.62 cm

3"

7.62 cm

2 13/16"

7.14 cm

2 9/16"

6.51 cm

2 3/8"

6.03 cm

2 1/16"

5.24 cm

1 3/4"

4.45 cm

1 1/4"

3.18 cm

ROCKER

4 9/16" 11.59 cm

3 7/16"

8.73 cm

2 9/16"

6.51 cm

1 13/16"

4.60 cm

1 3/16"

3.02 cm

1/2"

1.27 cm

1/16"

0.16 cm

3/32"

0.24 cm

7/16"

1.11 cm

1 1/16"

2.70 cm

1 9/16"

3.97 cm

2 1/4"

5.72 cm

3"


7.62 cm

4"

10.16 cm

Designed in December 2007 by

RENNY YATER



The plan shape and width have also been maximized. This blank is offered in 3 thicknesses to accommodate both machine and hand shaping."

'middle of the road' rocker profile and

added thickness to the nose and tail to

allow for straight to extreme profiles.

RENNY YATER

55.56 cm

20 3/16"

51.28 cm

18"

45.72 cm

 $14^{13/16''}$

37.62 cm

9 1/2"

24.13 cm

18"

12"

WIDTH

7 1/2"

19.05 cm

17 3/8"

Designed in December 2007 by

RENNY YATER

OVERALL BOTTOM LENGTH

9'8" (274.32 cm)

TIP-TO-TIP DECK LENGTH

9'7 1/4" (274.96 cm)

MAX WIDTH

25 1/4" (64.14 cm)

MAX THICKNESS


3 3/8" (8.57 cm)

AVAILABLE DENSITIES

1.5 pcf & 2.0 pcf

NATURAL ROCKER

4 9/16"N 4"T




"This blank is the result of input by several industry board builders. The goal was to design an EPS mold plug that would accommodate any Longboard shape program in the 8'10"

to 9'6" range for machine cutting purposes. After analyzing our rocker template database we came up with a 'middle of the road' rocker profile and added thickness to the nose and tail to allow for straight to extreme profiles.

The plan shape and width have also been maximized. This blank is offered in 3 thicknesses to accommodate both machine and hand shaping. This is the medium volume version."

RENNY YATER



44.13 cm $20^{3/4''}$ 52.71 cm 22 1/2" 57.15 cm 23 1/2" 59.69 cm 24 3/4" 62.87 cm 25 1/4" 64.14 cm 25 1/8" 63.82 cm 24 7/8" 63.18 cm 23 7/8" 60.65 cm 21 7/8" 55.56 cm 20 3/16" 51.28 cm 18" 45.72 cm $14^{-13/16''}$ 37.62 cm Q 1/2" 24.13 cm

4.13 cm

10.16 cm

SUPERFUSED 9'8"XX FPS

7 1/2"

19.05 cm

17 3/8"

44.13 cm

20 3/4"

52.71 cm

22 1/2"

57.15 cm

23 1/2"

59.69 cm

Designed in December 2007 by

RENNY YATER

OVERALL BOTTOM LENGTH

9'8" (274.32 cm)

TIP-TO-TIP DECK LENGTH

9'7 1/4" (274.96 cm)

MAX WIDTH

25 1/4" (64.14 cm)

MAX THICKNESS

3 3/8" (8.57 cm)

AVAILABLE DENSITIES

1.5 pcf & 2.0 pcf

NATURAL ROCKER

4 9/16"N 4"T




"This blank is the result of input by several industry board builders. The goal was to design an EPS mold plug that would accommodate any

Longboard shape program in the 8'10" to 9'6" range for machine cutting purposes. After analyzing our rocker template database we came up with a 'middle of the road' rocker profile and added thickness to the nose and tail to allow for straight to extreme profiles.

The plan shape and width have also been maximized. This blank is offered in 3 thicknesses to accommodate both machine and hand shaping. This is the medium volume version."

RENNY YATER

ROCKER **THICKNESS** 4 9/16" 2 1/8" 11.59 cm 5.40 cm 3 7/16" 2 7/16" 6.19 cm 8.73 cm 2 9/16" 2 13/16" 7.14 cm 6.51 cm 1 13/16" 3 1/8" 4.60 cm 7.94 cm 1 3/16" 3 3/8" 8.57 cm 3.02 cm 3 9/16" 1/2" 1.27 cm 9.05 cm 1/16" 3 3/4" 0.16 cm 9.53 cm 3 3/4" 9.53 cm 3/32" 3 3/4" 0.24 cm 9.53 cm 3 9/16" 7/16" 1.11 cm 9.05 cm 1 1/16" 3 5/16" 2.70 cm 8.41 cm 1 9/16" 3 1/8" 3.97 cm 7.94 cm 2 13/16" 2 1/4" 5.72 cm 7.14 cm 3" 2 1/2" 7.62 cm 6.35 cm 4" 2" 10.16 cm 5.08 cm



24 3/4" 62.87 cm 25 1/4" 64.14 cm 25 1/8" 63.82 cm 24 7/8" 63.18 cm 23 7/8" 60.65 cm 21 7/8" 55.56 cm 20 3/16" 51.28 cm 18" 45.72 cm 14 13/16" 37.62 cm Q 1/2"

USBlanks.com

USBlanks.com/catalog/superfused/98xxsuperfusedeps/

24.13 cm

100

Manufactured from *White Hot Surfboard Foam* billets and available in 1.5 pcf or 2.0 pcf density. Every PU blank in this catalog is also available as Block-Cut EPS. Custom cut blanks are also available. Below is a list of the blanks that we stock. Other blanks are available, subject to a singe-cut fee and possible file fee.

BLANK	GENRE - DESIGNER	STANDARD STRINGER	LENGTH	WIDTH	NOSE ROCKER	TAIL ROCKER	CENTER THICKNESS	NOSE THICKNESS	TAIL THICKNESS
5'9"P	Shortboard - Patterson	Ply	68.90	19.74	4.78	2.00	2.45	0.85	0.95
5'10"RP	Fish - Pavel	Ply	70.80	24.85	4.70	2.00	2.90	1.19	1.24
6'0"P	Shortboard - Patterson	Ply	72.24	20.06	4.63	1.69	2.45	0.91	1.08
6'0"R	Shortboard - Rusty	Ply	71.76	21.10	4.37	2.06	3.00	1.19	1.23
6'2"A	Fish - Rawson	Ply	74.03	23.50	4.62	1.90	2.90	1.30	1.48
6'2"P	Shortboard - Patterson	Ply	73.74	20.60	4.30	2.10	2.50	0.97	1.14
6'4"MB	Shortboard - Biolos	Ply	76.12	21.40	4.94	2.00	3.13	1.20	1.53
6'5"A	Fish - Rawson	Ply	76.81	23.50	4.60	2.26	3.19	1.37	1.59
6'4"EA	Shortboard - Arakawa	Ply	75.30	20.60	5.50	2.10	2.75	0.97	1.34
6'4"EAX	Shortboard - Arakawa	Ply	75.30	20.60	5.50	2.10	3.00	1.22	1.59
6'5"R	Shortboard - Rusty	Ply	77.00	22.00	4.76	2.20	3.37	1.50	1.44
6'6"EA	Shortboard - Arakawa	Ply	77.31	21.25	5.31	2.19	2.93	1.09	1.31
6'8"RP	Shortboard - Pavel	Ply	80.74	25.10	5.00	2.16	3.00	1.26	1.49
6'9"R	Shortboard - Rusty	Ply	81.62	23.10	4.90	2.38	3.50	1.17	1.53
6'10"A	Fish - Rawson	Ply	81.42	24.00	5.01	1.88	3.50	1.54	1.61
7'3"A	Fish - Rawson	1/8" Bass	87.31	24.00	5.30	2.12	3.63	1.50	1.64
7'4"SP	Egg - Smith/Parrish	1/8" Bass	88.75	24.20	4.22	2.39	3.37	1.40	1.40
7'5"A	Shortboard - Rawson	1/8" Bass	87.96	22.06	6.13	2.19	3.00	1.00	1.60
7'6"EA	Funboard - Arakawa	1/8" Bass	89.44	22.90	5.50	2.34	3.18	1.07	1.44
7'8"EA	Gun - Arakawa	1/8" Bass	92.11	21.80	6.28	2.63	3.10	0.95	1.39
7'10"SP	Egg - Smith/Parrish	1/8" Bass	94.75	24.30	4.40	2.60	3.50	1.48	1.49
8'1"EA	Shortboard - Arakawa	1/8" Bass	96.05	24.07	6.26	2.99	3.40	1.00	1.35
8'2"A	Funboard - Rawson	1/8" Bass	97.50	25.00	6.68	2.56	4.12	1.40	1.78
8'4"SP	Egg - Smith/Parrish	1/8" Bass	99.81	24.00	5.03	2.90	3.42	1.26	1.51
8'4"SPX	Egg - Smith/Parrish	1/8" Bass	99.81	24.00	5.03	2.90	3.80	1.64	1.89
8'9"Y	Longboard - Yater	1/8" Bass	104.49	24.60	4.12	3.28	3.36	1.39	1.40


USBlanks.com 101

Manufactured from *White Hot Surfboard Foam* billets and available in 1.5 pcf or 2.0 pcf density. Every PU blank in this catalog is also available as Block-Cut EPS. Custom cut blanks are also available. Below is a list of the blanks that we stock. Other blanks are available, subject to a singe-cut fee and possible file fee.

BLANK	GENRE - DESIGNER	STANDARD STRINGER	LENGTH	WIDTH	NOSE ROCKER	TAIL ROCKER	CENTER THICKNESS	NOSE THICKNESS	TAIL THICKNESS
8'9"YX	Longboard - Yater	1/8" Bass	104.49	24.60	4.12	3.28	3.74	1.77	1.78
9'3"Y	Longboard - Yater	1/8" Bass	110.57	24.50	4.24	3.30	3.40	1.52	1.65
9'4"B	Longboard - Jones	1/8" Bass	111.07	24.50	4.75	3.50	3.36	1.38	1.61
9'5"M	Longboard - Yerxa	1/8" Bass	111.74	24.40	5.02	3.84	3.28	1.46	1.51
9'8"Y	Longboard - Yater	1/8" Bass	115.70	24.50	4.50	3.60	3.63	1.66	1.63
9'9"A	Gun - Rawson	1/8" Bass	116.38	22.50	7.63	3.05	3.69	1.68	1.66
10'2"B	Longboard - Jones	1/8" Bass	121.56	25.10	4.67	3.50	3.52	1.43	1.37
8'6" SUP	SUP	1/8" Bass	102.00	32.00	4.70	3.70	4.38	2.00	1.27
9'6"A	SUP	1/8" Bass	114.00	32.00	5.14	3.66	4.93	2.46	1.80
10'0"A	SUP	1/8" Bass	120.00	32.00	5.55	4.31	4.88	2.36	1.42
10'4"A	SUP	1/8" Bass	124.00	32.00	4.56	3.75	4.75	2.18	1.97
10'4"B	SUP	1/8" Bass	124.00	32.00	6.25	4.38	4.81	2.41	1.81
11'2"A	SUP	1/8" Bass	134.00	32.00	5.25	4.19	5.00	2.00	1.98
11'2"B	SUP	1/8" Bass	134.00	32.00	6.75	4.75	5.06	2.58	1.90
12'1"	SUP	1/8" Bass	145.00	32.00	6.13	3.38	5.19	2.63	2.50
12'6"	SUP	1/8" Bass	150.00	32.00	6.31	3.50	5.50	2.86	2.75
4'8"AM	Foil		56.00	22.00	2.81	0.00	3.50	1.94	3.47
5'2"AM	Foil		62.00	22.00	3.12	0.00	3.50	1.94	3.47
6'2"AM	Foil		74.00	24.00	4.12	0.00	3.50	1.96	3.47
5'0"	Wakesurf		60.00	24.00	2.40	0.00	2.64	1.32	2.63
5'2"	Wakesurf		62.00	24.00	2.40	0.00	2.64	1.32	2.63
5'4"	Wakesurf		64.00	24.00	2.40	0.00	2.64	1.32	2.63
5'6"	Wakesurf		66.00	24.00	2.40	0.00	2.64	1.32	2.63


USBlanks.com 102

8'6" EPS



9'6" EPS

A-SUP



1 1/4"

3.18 cm


4 1/4"

10.80 cm

32" 81.28 cm

10'0" EPS

A-SUP



1 7/8"

4.76 cm


3 3/4"

9.53 cm

32" 81.28 cm

10'4" EPS

A-SUP



1 13/16"

4.60 cm

3 3/4"


9.53 cm

32"

81.28 cm

10'4" EPS

B-SUP




4.29 cm

11.11 cm

81.28 cm

A-SUP



4.76 cm


10.64 cm

32" 81.28 cm

BLOCK-CUT

11'2" EPS

B-SUP



4.60 cm


12.07 cm

81.28 cm

BLOCK-CUT

12'1" EPS

SUP



6.35 cm


8.57 cm

81.28 cm

BLOCK-CUT

12'6" EPS

SUP



6.96 cm

8.89 cm


81.28 cm

MULTI-BOARD BOXES WITH BOX ENDS

BOX SIZE: (inside dimensions)	LENGTH	WIDTH	HEIGHT
1. 7'4"	7'2" (2.24 m)	25" (63.5 cm)	12" (30.5 cm)
2. 8'4"	8'2" (2.49 m)	25" (63.5 cm)	14" (35.56 cm)
3. 10'6"	10'3" (3.25 m)	26" (66.04cm)	10" (25.4 cm)
4. 10'8"	10'6" (3.32 m)	26" (66.04 cm)	14" (35.5 cm)
5. 12'5"	12'3" (3.73 m)	33" (83.8 cm)	12.5" (31.6 cm)

SINGLE-BOARD BOXES WITH FOLD-OVER FLAPS

6. 8′2″	8′ (2.44 m)	24" (60.96 cm)	6" (15.24 cm)
7. 10'2"	10' (3.05 m)	26" (66.04 cm)	6" (15.24 cm)



BOXES ARE A GLUED TUBE MADE OF 275# KRAFT

ENDS STAPLE IN FOR A STRUCTURAL FIT

BOXES ARE PLAN WITH NO LOGO

US Blanks are available worldwide through a network of Resellers. Contact the Reseller nearest you for pricing & product availability.

WEST COAST

	VVL31 CO/\sigma1	
MITCH'S SURF SHOP 631 Pearl St La Jolla, CA, 92037 (858) 459-5933 MitchsSurfShop.com	MITCH'S SURF SHOP 363 Hwy 101 Solana Beach, CA, 92075 (858) 481-1354 MitchsSurfShop.com	MITCH'S SURF SHOP 363 Hwy 101 Solana Beach, CA, 9207 (858) 481-1354 MitchsSurfShop.com
FIBERGLASS SERVICES / SOURCE 291 Roymar Rd Oceanside, CA, 92058 (760) 722-1666, FiberglassSource.com	BASHAM'S SURF SHOP 213 Calle de Los Molinos San Clemente, CA, 92677 (949) 361-2203, BashamsSurfShop.com	PURE GLASS 1777 Placentia Costa Mesa, CA, 92627 (949) 548-2912, PureGlass.com
FOAM E-Z 6455 Industry Way Westminster, CA, 92683 (714) 896-8233 FoamEZ.com	THE CRAFT 141 Suburban Rd San Luis Obispo, CA, 93401 (805) 782-9802, TheCraftGlassworks.com	FIBERGLASS HAWAII 4350 Transport St Ventura, CA, 93003 (805) 644-0009, FiberglassHawaii.com
ARROW SURF SHOP 2324 Mission St Santa Cruz, CA, 95060 (831) 423-8286 ArrowSurfShop.com	ARROW FACTORY 1115 Thompson Ave Santa Cruz, CA, 95062 (831) 462-2791 ArrowSurfboards.com	FIBERGLASS SUPPLY 11824 Water Tank Rd Burlington, WA, 98233 (509) 493-3464 FiberglassSupply.com
PACIFICA BOARD FACTORY 1117 Palmetto Ave Pacifica, CA, 94044 (650) 550-0676 PacificaBoardFactory.com	EAST COAST	GORGE PERFORMANCE 7400 SW Macadam Ave Portland, OR, 97219 (503) 246-6646 GorgePerformance.com
US BLANKS 282 N. Wickham Rd. Melbourne, FL, 32935 (321) 253-3626 USBlanks.com	THE SURF SOURCE 52 W 3rd St Atlantic Beach, FL, 32233 (904) 247-0808 SurfSource.net	U.S. FIBERGLASS PRODUCTS / WRV 8778 Caratoke Hwy Harbinger, NC, 27941 (252) 491-8535
GREENLIGHT SURF SUPPLY 187 Parker Ave, Manasquan, NJ 08736 (732) 223-1694 GreenLightSurfSupply.com		WRVFactory@gmail.com
and I	LIGHT / II	

HAWAI'I & INTERNATIONAL RESELLERS

HAWAI'I

FIBERGLASS HAWAII 1377 Colburn St Honolulu, Oahu, HI, 96817 (808) 847-3951 FiberglassHawaii.com

FIBERGLASS HAWAII 914 Palm Pl Wahiawa, Oahu, HI, 96786 (808) 621-5667 FiberglassHawaii.com

FIBERGLASS HAWAII 246 Papa Pl Kahului, Maui, HI, 96732 (808) 871-7955 FiberglassHawaii.com

EUROPE

SEABASE

Unit 10, Seabase Industrial Estate Newquay, Cornwall, UK, TR7 2SX

+44 (0) 1637 875 811 Seabase.eu

SEABASE 245 Av. des Tuileries, Z.A. de Pedebert Soorts-Hossegor 40150, France +33 (0) 5 58 41 77 05

Seabase.eu

CENTRAL & SOUTH AMERICA

PLANETA 9698+571, Provincia de Guanacaste, Huacas, 50304, Costa Rica (506) 7048-9369 info@Planeta.surf

7 SEAS TRADING Calle Gozzoli Norte 482, San Borja, Lima, Peru 511 226 2306 ricardochoy@yahoo.com

SURFHOUSE RUT 77, 110, 041-4 Av. El Bosque Norte 107 Department 22, Los Condes Santiago, Chile 02 2124952 BlueHawaii20@yahoo.es

ASIA & AFRICA

MANEUVERLINE 3-8-2 Miyoshi Kohtohku Tokyo, Japan, 135-0022 +81 3 5245 3113, Maneuverline.co.jp

MANEUVERLINE 6-8-24 Ichinomiya Samukawa Kanagawaken, Japan, 253-0111 +81 467 72 6226, Maneuverline.co.jp

MANEUVERLINE Higashisumiyoshi-ku, Higashitanabe 1-chrome-13-4, Osaka 646-0032 Japan, 253-0111 +81 467 72 6226, Maneuverline.co.jp

SHAPERX Central Park, Platinum Cresent Unit 3, Milnerton, Cape Town 7441, South Africa +27 822534393 shapers.co.za

ULTRAWAVE 16 Galgaley Haplada St. Herzlia 4672116, Israel 972-(0)9-9559927 UltraWave.co.il

PU QUICK REFERENCE CHART page 1 of 3

BLANK	GENRE	LENGTH STRAIGHT LINE	NOSE	@ 12"	MAX WIDTH	MAX THICKNESS	TAIL @	TAIL @ 12"		TAIL @
		Deck: Tip to Tip	Width	Thick.			Width	Thick.	Rocker	Rocker
4'9"RP	Wake	4'10 1/4"	19 11/16"	2 7/16"	22 7/8"	2 15/16"	21 3/16"	2 13/16"	2 7/8"	3/4"
5'9"P	Shortboard	5'9 5/8"	13 11/16"	1 5/8"	19 3/8"	2 7/16"	14 13/16"	1 3/4"	4 3/4"	2"
5'10"RP	Fish/Egg	5'10 3/4"	19 5/16"	2 3/16"	24 7/8"	2 15/16"	20 3/8"	2 3/16"	4 5/8"	1 15/16"
5'11"YU	Shortboard	6'0"	16"	2"	21 1/4"	2 3/4"	16 15/16"	2 1/16"	4 9/16"	1 13/16"
6'0"P	Shortboard	6'0 1/4"	14 1/16"	1 5/8"	20"	2 1/2"	15 9/16"	1 7/8"	4 5/8"	1 11/16"
6'0"R	Shortboard	5'11 3/4"	16 3/8"	2 3/16"	21 5/8"	3"	17 1/8"	2 1/4"	4 7/16"	2 1/8"
6'2"A	Fish/Egg	6'2"	19"	2 1/8"	23 1/2"	2 15/16"	18 9/16"	2"	4 3/4"	1 13/16"
6'2"P	Shortboard	6'1 7/8"	14"	1 5/8"	20 1/2"	2 1/2"	15 7/16"	1 7/8"	4 7/16"	2 1/4"
6'3"EA	Shortboard	6'3 1/4"	14 3/16"	1 11/16"	20 5/8"	2 9/16"	15 7/16"	1 7/8"	5 1/2"	2 1/16"
6'3"RP	Fish/Egg	6'4 1/8"	17 5/8"	2"	22 5/8"	2 3/4"	18 1/16"	2"	4 1/4"	1 13/16"
6'4"EA	Shortboard	6'3 1/2"	14 3/16"	1 3/4"	20 5/8"	2 3/4"	15 7/16"	2"	5 1/2"	2 1/16"
6'4"MB	Shortboard	6'4 1/8"	14 3/4"	2 5/16"	21 7/16"	3 3/16"	16 3/4"	2 5/16"	4 7/8"	2"
6'5"A	Fish/Egg	6'4 7/8"	18 7/8"	2 3/16"	23 1/2"	3 1/8"	18 3/8"	2 1/8"	5 1/6"	1 3/4"
6'5"R	Shortboard	6'4 3/4"	16 7/8"	2 3/8"	21 3/4"	3 1/4"	17"	2 7/16"	4 11/16"	2 1/4"
6'6"EA	Shortboard	6'5 3/8"	14 5/8"	1 7/8"	21 1/4"	2 15/16"	15 3/4"	2 1/16"	5 5/16"	2 3/16"
6'7"P	Shortboard	6'6 1/2"	14 1/2"	1 9/16"	21 1/2"	2 3/4"	15 7/8"	1 13/16"	5 1/4"	2 3/8"
6'8"A	Fish/Egg	6'7 3/4"	15 9/16"	2 3/16"	21 7/8"	2 15/16"	16 3/4"	2 1/4"	5 5/16"	1 3/4"
6'8"AX	Fish/Egg	6'7 3/4"	15 9/16"	2 9/16"	21 7/8"	3 5/16"	16 3/4"	2 5/8"	5 5/16"	1 3/4"
6'8"P	Shortboard	6'6 3/4"	14 1/2"	1 11/16"	21 3/8"	2 3/4"	15 11/16"	1 7/8"	5 1/16"	2 3/16"
6'8"RP	Fish/Egg	6'8 3/4"	18 9/16"	2 1/8"	25 1/8"	3"	20"	2 3/16"	5"	2 1/8"
6'9"EA	Shortboard	6'8"	14 1/8"	1 7/8"	21 5/16"	2 15/16"	15 5/8"	2"	5 9/16"	2 1/2"
6'9"R	Shortboard	6'9 5/8"	17 3/8"	2 7/16"	23 1/8"	3 9/16"	17 3/4"	2 9/16"	4 7/8"	2 3/8"
6'10"A	Fish/Egg	6'9 1/2"	19 1/16"	2 3/8"	24"	3 1/2"	18 1/8"	2 5/16"	5"	1 7/8"
6'10"RH	Fish/Egg	6'11 1/8"	19 5/16"	2 7/16"	23 1/2"	3 3/8"	17 3/4"	2 1/2"	4 1/8"	2 5/16"
7'0"A	Shortboard	6'10 3/4"	15 5/8"	2 1/16"	22 1/8"	3 3/16"	15 3/4"	2 3/16"	5 1/2"	2"
7'1"A	Shortboard	6'11"	15 1/2"	2 3/16"	22 3/16"	3"	15 5/8"	2 1/8"	5 11/16"	2 1/16"
7'1"EA	Funboard	6'11 3/4"	15 3/4"	2"	22 9/16"	3"	16 1/4"	2 1/8"	5 3/8"	2 1/4"
7'2"EA	Gun	7'1 7/8"	13 1/4"	1 13/16"	21 5/8"	2 15/16"	15 1/4"	2 1/16"	6 1/16"	2 9/16"
7'3"A	Fish/Egg	7'2 3/8"	18 1/2"	2 7/16"	24"	3 5/8"	17 3/4"	2 5/16"	5 5/16"	2 1/16"
7'4"SP	Fish/Egg	7'4 3/4"	20 3/8"	2 1/4"	24 1/16"	3 3/8"	17 1/2"	2 3/8"	4 1/8"	2 3/8"
7'5"A	Funboard	7'3 7/16"	15 3/16"	2"	21 7/8"	3"	15 3/8"	2 1/16"	6"	2 1/8"

PU QUICK REFERENCE CHART page 2 of 3

BLANK	GENRE	LENGTH STRAIGHT LINE	NOSE	@ 12"	MAX WIDTH	MAX THICKNESS	TAIL @	12"	NOSE @	TAIL @
7'6"EA	Funboard	7'5 3/8"	15 5/8"	2 1/16"	23"	3 3/16"	16 1/8"	2 1/8"	5 3/8"	2 5/16"
7'7"A	Funboard	7'6"	16 1/4"	2 5/16"	22 7/8"	3 7/16"	16 1/8"	2 5/16"	6"	2 3/16"
7'8"A	Funboard	7'8 3/4"	18 1/4"	2 5/8"	24 3/8"	3 15/16"	17 1/2"	2 9/16"	5 1/2"	2 1/4"
7'8"EA	Gun	7'8 3/16"	12 3/4"	1 13/16"	21 7/8"	3"	14 1/2"	2"	6 3/16"	2 5/8"
7'9"H	Fish/Egg	7'8 3/8"	19 3/4"	2 1/16"	23 9/16"	3 3/16"	17 1/16"	2 1/16"	3 1/2"	2 15/16"
7'9"HX	Fish/Egg	7'8 3/8"	19 3/4"	2 7/16"	23 9/16"	3 9/16"	17 1/16"	2 7/16"	3 1/2"	2 15/16"
7'10"SP	Funboard	7'10 3/4"	20 7/16"	2 5/16"	24 3/8"	3 3/8"	17 1/8"	2 5/16"	4 1/2"	2 1/2"
7'11"A	Gun	7'10 11/16"	13 1/4"	2 1/8"	21 7/8"	3 1/8"	14 1/8"	2 1/8"	6 7/16"	2 1/2"
8'0"H	Fish/Egg	7'11 5/8"	19 1/16"	2 1/8"	23 5/8"	3 5/16"	16 7/16"	2 1/8"	3 9/16"	3 1/8"
8'1"EA	Funboard	7'11 3/4"	17 1/16"	1 15/16"	24 1/16"	3 3/8"	16 3/4"	2 1/8"	6 7/16"	2 11/16"
8'2"A	Funboard	8'1 1/2"	17 3/8"	2 7/16"	25"	4 1/16"	17 11/16"	2 5/8"	6 5/8"	2 9/16"
8'2"AX	Funboard	8'1 1/2"	17 3/8"	2 13/16"	25"	4 7/16"	17 11/16"	3"	6 5/8"	2 9/16"
8'3"H	Funboard	8'2 5/8"	18 3/4"	2 1/16"	23 5/8"	3 3/8"	16 5/16"	2 1/16"	4 1/8"	3 3/16"
8'4"SP	Fish/Egg	8'3 13/16"	19 1/4"	2 1/4"	24 3/16"	3 3/8"	16 1/2"	2 1/4"	4 3/4"	2 13/16"
8'4"SPX	Fish/Egg	8'3 13/16"	19 1/4"	2 5/8"	24 3/16"	3 3/4"	16 1/2"	2 5/8"	4 3/4"	2 13/16"
8'5"A	Gun	8'5 1/2"	12 15/16"	2 3/16"	22"	3 3/8"	13 11/16"	2 3/16"	6 3/4"	2 7/16"
8'6"EA	Funboard	8'5 1/8"	16 1/2"	2 1/16"	24 1/16"	3 3/8"	16 3/16"	2 3/16"	6 9/16"	2 5/8"
8'9"Y	Longboard	8'8 1/2"	20 1/2"	2 5/16"	24 13/16"	3 3/8"	18"	2 5/16"	4 1/8"	3 3/16"
8'9"YX	Longboard	8'8 1/2"	20 1/2"	2 11/16"	24 13/16"	3 3/4"	18"	3"	4 1/8"	3 3/16"
9'2"A	Gun	9'2"	12 5/8"	2 3/16"	22 1/4"	3 1/2"	12 3/4"	2 1/16"	7 5/8"	2 3/4"
9'3"A	Funboard	9'2 5/8"	17 1/8"	2 1/4"	25 1/2"	4 5/16"	16 15/16"	2 3/4"	7 11/16"	3 1/16"
9'3"AX	Funboard	9'2 5/8"	17 1/8"	2 5/8"	25 1/2"	4 11/16"	16 15/16"	3 1/8"	7 11/16"	3 1/16"
9'3"Y	Longboard	9'2 5/8"	20 5/8"	2 3/8"	25 1/16"	3 1/2"	17 5/8"	2 3/8"	4 5/16"	3 1/4"
9'4"B	Longboard	9'3 1/16"	20 5/16"	2"	25 1/16"	3 5/16"	16 5/16"	2 1/8"	4 3/4"	3 1/2"
9'5"M	Longboard	9'3 3/4"	20 1/4"	2 1/16"	24 11/16"	3 3/16"	16"	2 1/8"	4 13/16"	3 5/8"
9'8"Y	Longboard	9'7 3/4"	20 3/4"	2 1/2"	25 1/4"	3 5/8"	17 5/8"	2 1/2"	4 1/2"	3 5/8"
9'9"A	Gun	9'8 3/8"	12 7/16"	2 1/8"	22 7/16"	3 11/16"	12 3/4"	2"	7 11/16"	3 1/8"
9'9"AX	Gun	9'8 3/8"	12 7/16"	2 1/2"	22 7/16"	4 1/16"	12 3/4"	2 3/8"	7 11/16"	3 1/8"
9'9"B	Longboard	9'9 1/8"	19 15/16"	2 1/4"	24 15/16"	3 3/4"	16 7/16"	2 1/4"	4 7/16"	4 1/8"
10'0" BG	Gun	10'0 3/8"	17"	2 7/8"	25 5/8"	4 9/16"	16 5/16"	2 7/8"	7 7/16"	3 1/4"

PU QUICK REFERENCE CHART page 3 of 3

BLANK	GENRE	LENGTH STRAIGHT LINE	NOSE @ 12"		MAX WIDTH	MAX THICKNESS	TAIL @ 12"		NOSE @ TIP	TAIL @ TIP
10'1"C	Longboard	10'1 3/4"	20 7/8"	2 3/4"	25 7/16"	4 1/8"	17 15/16"	2 13/16"	4 7/16"	3 5/8"
10'2"B	Longboard	10'1 1/2"	20 3/4"	2 5/16"	25 3/16"	3 1/2"	17 9/16"	2 1/4"	4 13/16"	3 7/16"
10'2"BX	Longboard	10'1 1/2"	20 3/4"	2 9/16"	25 3/16"	3 3/4"	17 9/16"	2 1/2"	4 13/16"	3 7/16"
10'6"A	Gun	10'5 7/8"	12 3/8"	2 1/8"	23 3/16"	3 3/4"	12 3/8"	2"	8 3/16"	3 7/16"
10'6"AX	Gun	10'5 7/8"	12 3/8"	2 5/8"	23 3/16"	4 1/4"	12 3/8"	2 1/2"	8 3/16"	3 7/16"
10'8"B G	Gun	10'8 1/4"	16 3/4"	2 13/16"	25 9/16"	4 9/16"	15 13/16"	2 3/4"	7 15/16"	3 7/16"
10'8"C	Longboard	10'8 1/8"	21 7/16"	2 3/4"	26 9/16"	4 5/16"	18 9/16"	2 7/8"	4 15/16"	3 7/8"
10'8"Y	Longboard	10'7 5/16"	20 1/2"	2 9/16"	25 1/2"	3 3/4"	17 3/8"	2 1/2"	5 1/4"	3 5/8"
10'10"T	SUP	10'9"	25 3/8"	2 7/8"	32 1/16"	5"	21 15/16"	3 9/16"	5 1/8"	3 1/16"
11'2"C	Longboard	11'2 1/4"	21 1/4"	3 3/8"	26 3/8"	4 1/8"	18 11/16"	2 7/8"	4 13/16"	3 7/16"
11'8"BG	Gun	11'8 15/16"	17 1/16"	2 13/16"	26 3/8"	4 3/4"	15 15/16"	2 7/8"	8 3/8"	3 9/16"
11'8"C	Longboard	11'8 3/4"	21 1/2"	3 1/16"	27"	4 9/16"	18 7/8"	3 1/8"	4 15/16"	3 1/2"

CALIFORNIA SALES POLICY

Number 6, Revision Date 1/1/17, page 1 of 3

WHOLESALE - US Blanks is a wholesale manufacturer selling only to customers engaged in resale.

QUANTITY DISCOUNTS - US Blanks offers a percent discount based on a single shipment quantity. To qualify, an order must be placed for a single delivery to a single location. If US Blanks cannot supply the blanks as requested, the quantity discount will be honored. The higher percentage discount between QUANTITY DISCOUNT and ANNUAL DISCOUNT will be used to price an order.

ANNUAL DISCOUNT - US Blanks offers a percentage annual discount based on the dollar volume of sales over a twelve month period. At lease every six months all accounts will be reviewed and adjusted per the discount schedule below.

Customers may request a review of their annual discount at any time, based on the prior six month purchasing history. There will be no retroactive increases or decreases based on adjusted discount. US Blanks may negotiate an annual discount for a new customer based on prior history, which will be adjusted in six months based on actual purchases.

For a full US Blanks Discount Policy please contact our office.

DELIVERY - Delivery will be at no charge to delivery points in Southern California within our normal local delivery area. Exact delivery dates are not set, however we will deliver to each area at least once per week. Delivery to the Central Coast areas will be approximately every 3-4 weeks and will have a small per blank delivery charge based on blank size.

To qualify for delivery, customers must provide an acceptable commercial location to receive blanks within normal business hours. Alternate drop off points, keys, or other arrangements are requested to insure an efficient delivery.

Delivery outside our normal route will only be considered based on location and delivery back log. Delivery outside our normal route (or excess re-scheduling of deliveries) will be charged an hourly delivery rate from and to the closest stop, or require a minimum number of blanks be purchased.

Delivery priority will be based on a combination of oldest order first, combined with manufacturing requirements.

STANDARD OF QUALITY – Imperfect inspection, shipping and handling damage, and small variations in quality must be accepted uniformly by all customers.

CALIFORNIA SALES POLICY

Number 6, Revision Date 1/1/17, page 2 of 3

Special inspection and sorting is not allowed. Damage and inspection mistakes will be corrected where practical.

All blanks will be considered FIRST Quality unless marked SECOND. All blanks sold will be structurally sound. Blanks that are determined by US Blanks to be structurally unsound will be destroyed.

Blanks will be marked as a SECOND if there is a flaw that limits the size board that can be made from a blank, a cosmetic problem, or a blemish that requires limited filling.

SECONDS will be priced based on supply and demand. SECONDS are sold "AS IS" and are not eligible for return.

SUB-STANDARD BLANKS – US Blanks will do our best to accurately determine the quality of a blank. Occasionally we may error, a flaw may not be visible until a blank is shaped, or a blank may become damaged under the control of US Blanks. If any of these circumstances should occur, US Blanks will remedy the situation to the customer's satisfaction by either giving a price credit between the cost of the purchase price and a SECOND price, or replacing the blank with a duplicate.

To be eligible to have the blank replaced the original blank must be returned to US Blanks or their distributor.

US Blanks will not accept for return or credit any blank that is damaged while in the control of the customer. Handling damage in transit by a common carrier will be negotiated.

Returns or credits normally will not be allowed for blanks that we cannot identify as a US Blank, or if the fault cannot be determined. Once a flaw is identified, we encourage stopping work on a blank if a return or credit is going to be requested. Costs incurred beyond the point of identifying the flaw will be the responsibility of the shaper.

Requests for credits due to a quality issue must be made within six months of the purchase date.

SHAPING CREDIT - In addition to a replacement blank, the following fee will be credited to customers who have shaped a blank, either with a machine or by hand, that has been determined to be an inferior product, based on US Blanks quality standards. The original blank must be returned to be eligible for the replacement blank and shaper's credit. In lieu of this fee, a second single stringer blank may be negotiated.

CALIFORNIA SALES POLICY

Number 6, Revision Date 1/1/17, page 3 of 3

FINISHED BOARDS / **FAULTY FOAM** – Once glassed, it is very difficult to determine foam failure in a finished board. Shaping and glassing integrity, and customer use, all affect the strength of the finished board. Most structural problems with a blank should be identified in the shaping and/or glassing processes. US Blanks will guarantee its blank in those rare circumstances that a structural problem cannot be detected during shaping or glassing, providing the foam is tested and proven to be faulty.

To be tested, US Blanks will require a piece of the finished board which we will test in comparison to a stock blank. Original blank size and density will be required to complete testing. All tests will be completed at the expense of US blanks.

If the foam is found faulty, we will pay up to but no more than the direct cost of material, supplies, and labor upon receipt of documentation.

If the foam is found faulty, and the customer wishes to repair the board and sell at a discount, US Blanks will cover the direct costs of repairing the board.

US Blanks will not guarantee normal wear and tear on a surfboard, including but not limited to discoloration, cosmetic flaws, twist, dents, dings, small delaminations, excessive heat exposure, or broken boards.

RETURNS – US Blanks will accept First Quality blanks for return if they meet all of the following criteria:

- -Standard stringer & rocker (no custom glue-ups)
- -Blank is in acceptable, First Quality condition
- -No more than 30 days from purchase date

All returns will be subject to a 25% re-stocking fee.

REVISIONS TO SALES POLICY – US Blanks reserves the right to revise this Sales Policy at any time. Customers may request a current copy of this policy at any time. Each revision will be numbered and dated.

It is our goal to adhere to this Sales Policy consistently and fairly to all customers. Should a customer feel they are not being sold to in accordance to this policy we would like it brought to the attention of the owners. Retro- active retribution will be instated if an error in administering this policy was found. US Blanks will not be liable or pay for costs, damages, etc. sustained by non-conformance to this policy.



THE CORE OF SURFING

P: (310) 225-6774

F: (310) 225-6922

P.O.Box 486, Gardena, CA, 90248